STANDARD BIDDINGDOCUMENT

Procurement of Works (NCB)

Without Qualification Requirement

[For use in NCB Works between NRs. 2 Million to NRs.20 Million]

Issued by:

Government of Nepal Public Procurement Monitoring Office

> Tahachal, Kathmandu January, 2017 (Revised: June, 2018)

BIDDING DOCUMENT

for

THE PROCUREMENTOF

Chhapari Tourism Development & View Tower Construction

NationalCompetitiveBidding(NCB)

IFB No. 06/MMDARCHULA/NCB/CTDVTC 2076/77

Mahakali Municipality,Khalanga Darchula

| Issued on: | |
|-------------------|---------------|
| Issued to: | |
| Invitation f | for Bids No.: |

NCB No.:

Abbreviations

| BD | Bidding Document |
|---------|---|
| BDF | BiddingForms |
| BDS | Bid DataSheet |
| BOQ | Bill of Quantities |
| COF | |
| DP | Development Partners |
| DoLIDAR | Department of Local Infrastructure Development and Agricultural Roads |
| ELI | Eligibility |
| EEC | |
| GCC | |
| GoN | |
| ICC | International Chamber of Commerce |
| IFB | Invitation for Bids |
| ITB | Instructions to Bidders |
| JV | |
| NCB | |
| PAN | |
| PPA | |
| PPMO | Public Procurement Monitoring Office |
| PPR | |
| SBD | |
| SCC | |
| TS | |
| VAT | |
| WRQ | Works Requirements |

Table of Contents

| nvitationforBids1 | | |
|---|-----|--|
| Part - I Bidding Procedures | | |
| Section - I InstructionstoBidders | 4 | |
| Section - II BidDataSheet | 22 | |
| Section - III Evaluation and Eligibility Criteria | 26 | |
| Section – IVBiddingForms | 28 | |
| Part -IIRequirements | 37 | |
| Section - VWorksRequirements | 38 | |
| Section - VI BillofQuantities | 54 | |
| Part - III Conditions of Contract and ContractForms | 49 | |
| Section - VII General ConditionsofContract | 53 | |
| Section - VIII Special ConditionsofContract | 80 | |
| Saction IVContract Forms | Q.1 | |



Mahakali Municipality Office of Municipal Executive Khalanga,Dacrhula Sudurpaschim Province, Nepal

Invitation for Bid

First Date of Publication: 2076/12/05 (18/03/2020)

- 1. Contribution from Sudurpaschim Province Pardesh Sampurak Anudan, Mahakali Municipality, Office of Municipal Executive invites sealed bids from Nepalese eligible bidders for the construction of following projects under National Competitive Bidding procedures.
- 2. Eligible Bidders may obtain further information at the office of Mahakali Municipality, Khalanga Darchula, phone no. 093-420137,email:mmdarchula@gmail.com
- 3. A complete set of Bidding Documents may be purchased from the office of Municipal Executive, Mahakali Municipality, Darchula and by eligible Bidders on the submission of a written application, along with the copy of company/firm registration certificate, and upon payment of a non-refundable fee of NPR 3000 each till 2077/1/4 (16/4/2020 A.D.) during office hours. Information to deposit the cost of bidding document in Bank:

Name of the Bank: Rastriya Banijya Bank, Darchula

Name of Office: Mahakali Municipality, Khalanga Darchula

Office Code no.: 801077302

Office Account no.: 40900304010003

- 4. Pre-bid meeting shall be held at Mahakali Municipality, Office of Municipal Executive Darchula at 15:00 hours on 2076/12/28.
- 5. Sealed or electronic bids must be submitted must be submitted to the office Mahakali Municipality, Office of Municipal Executive by hand/courier on or before 12:00 hours on 2077/01/05 (17/4/2020 AD). Bids received after this deadline will be rejected.
- 6. The bids will be opened in the presence of Bidders' representatives who choose to attend at 14:00 hours on 2077/01/05 (17/4/2020 AD) at the office of Mahakali Municipality, Office of Municipal Executive Darchula. Bids must be valid for a period of 90 after bid opening and must be accompanied by a bid security, which shall be valid for 30 days beyond the validity period of the bid.
- 7. If the last date of purchasing and /or submission falls on a government holiday, then the next working day shall be considered as the last date. In such case the validity period of the bid security shall remain the same as specified for the original last date of bid submission.
- 8. The Mahakali Municipality, Office of Municipal Executive, Khalanga Darchula reserves right to amend and correct in bid documents , bid notice or any other documents at any time in case of any discrepancies or error .

| Details of Works |
|------------------|
|------------------|

| Contract No. | Description of Work | Cost of | Estimated | Minimum | Date line of | | |
|--------------|------------------------------|----------------------|--------------------|---------------------------|----------------------------|-------------------------------|----------------|
| | | Bid Docum ents | Amount With VAT | Bid Security Amount | Last Date of Purchasing | Last Date of Submission | Bid Opening |
| 06/MMDARC | Chhapari Tourism Development | 3,000 | 3261372.00 | 94000.00 | 2077/01/04 | 2077/01/05 | 2077/01/05 |
| HULA/NCB/C | & View Tower Construction ma | | | | 17:00 hrs | 12:00 hrs | 13:00 hrs |
| TDVC | na pa1 | | | | | | |
| 2076/77 | | | | | | | |

| • • • • • | • • • • • • • • | • • • • • • • • • • | |
|-----------|-----------------|---------------------|--|
| | | | |

Acting Chief Administrative Officer

Part - I Bidding Procedures

Section I – Instruction to Bidders

Table of Clauses

| Α. | General | 4 |
|----|--|----|
| | 1. Scope ofBid | |
| | 2. Source ofFunds | |
| | 3. Fraud and Corruption | |
| | 4. EligibleBidders | |
| | 5. Eligible Materials, Equipment and Services | |
| В. | Contents ofBiddingDocument | 8 |
| | 6. Sections of BiddingDocument | |
| | 7. Clarification of Bidding Document, Site Visit, Pre-BidMeeting | |
| | 8. Amendment of BiddingDocument | |
| C. | Preparation of Bids | |
| | 9. Cost ofBidding | |
| | 10. Language of Bid | |
| | 11. Documents Comprising the Bid | |
| | 12. Letter of Bid and Schedules | |
| | 13. Bid Prices and Discounts | |
| | 14. Currency of Bid and Payment | |
| | 15. Period of Validity of Bids | |
| | 16. BidSecurity | |
| | 17. Format and Signing ofBid | |
| D. | Submission and OpeningofBids | |
| | 18. Sealing and Marking of Bids | |
| | 19. Deadline for Submission of Bids | |
| | 20. Late Bids | |
| | 21. Withdrawal and Modification of Bids | |
| | 22. Bid Opening | |
| E. | Evaluation and ComparisonofBids | 15 |
| | 23.Confidentiality | |
| | 24. Clarification of Bids | |
| | 25. Deviations, Reservations, and Omissions | |
| | 26. Determination of Responsiveness | |
| | 27. Nonconformities, Errors, and Omissions | |
| | 28. Correction of Arithmetical Errors. | |
| | 29. Evaluation of Bids | |
| | 30. Comparison of Bids | |
| | 31. Employer's Right to Accept Any Bid, and to Reject Any or AllBids | |
| F. | AwardofContract | |
| 1. | 32. AwardCriteria | |
| | 33. Letter of Intent to Award the Contract/ Notification of Award | |
| | 34. Performance Security | |
| | · | |
| | 35. Signing of Contract | |
| | 36. Complaintand Review | |

Section-I: Instructions to Bidders

| SECTION— 1: Instructions to Bladers | | | |
|-------------------------------------|--|--|--|
| | A. General | | |
| 1. Scope of Bid | 1.1 In connection with the Invitation for Bids indicated in the Bid Data Sheet (BDS) , the Employer, as indicated in the BDS , issues this Bidding Document for the procurement of Works as specified in Section V (Works Requirements). The name, identification,andnumberofContractsoftheNationalCompetitiveBidding(NCB) are provided in the BDS . | | |
| | 1.2 Throughout this Bidding Document:(a) the term "in writing" means communicated in written form and delivered against receipt; | | |
| | (b) except where the context requires otherwise, words indicating the singular also include the plural and words indicating the plural also include the singular; and (c) "day" means calendar day | | |
| 2. Source of Funds | (c) "day" means calendar day. 2.1 GoN Funded: In accordance with its annual program and budget, approved by the GoN, the implementing agency indicated in the BDS plans to apply a portion of the allocated budget to eligible payments under the contract(s) for which this Bidding Document is issued. Or Public Entities' own Resource Funded: In accordance with its annual program and budget, approved by the public entity, the implementing agency indicated in the BDS plans to apply a portion of the allocated budget to eligible payments under the contract(s) for which this Bidding Document is issued. Or DP Funded: The GoN has applied for or received financing (hereinafter called "funds") from the Development Partner (hereinafter called "the DP") indicated in theBDStowardthecostoftheprojectnamedintheBDS.TheGoNintendstoapply a portion of the funds to eligible payments under the contract(s) for whichthis | | |
| | Bidding Document is issued. 2.2 DP Funded: Payment by the DP will be made only at the request of the GoN and upon approval by the DP in accordance with the terms and conditions of the financing agreement between the GoN and the DP (hereinafter called the "Loan/Grant Agreement"), and will be subject in all respects to the terms and conditions of that Loan/Grant Agreement. No party other than the GoN shall derive any rights from the Loan Agreement or have any claim to the funds. | | |
| 3. Fraud and Corruption | 3.1 Procuring Entities as well as bidders, suppliers and contractors and their subcontractors under GoN/DP-financed contracts, shall adhere to the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this; (a) the Employer adopts, for the purposes of this provision, the terms as definedbelow: (i) "corrupt practice" means the offering, giving, receiving, orsoliciting, | | |

- directly or indirectly, anything of value to influence improperly the actions of another party;
- (ii) "fraudulent practice" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
- (iii) "coercive practice" means impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of aparty;
- (iv) "collusive practice" means an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party.
 - v) "obstructive practice" means (a) deliberately destroying, falsifying, altering, or concealing of evidence material to an investigation; (b) making false statements to investigators in order to materially impede an investigation; (c) failing to comply with requests to provide information, documents, or records in connection with an investigation; (d) threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or (e) materially impeding GoN/DP's contractual rights of audit or access to information; and
 - vi) "integrity violation" is any act which violates Anticorruption Policy, including (i) to (v) above and the following: abuse, conflict of interest, violations of GoN/DP sanctions, retaliation against whistleblowers or witnesses, and other violations of Anticorruption Policy, including failure to adhere to the highest ethicalstandard.
- (b) the Employer will reject a proposal for award if it determines that the Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations in competing for the contract;
- (c) DP will cancel the portion of the financing allocated to a contract if it determines at any time that representative(s) of the GoN or of a beneficiary of DP-financing engaged in corrupt, fraudulent, collusive, or coercive practices or other integrity violations during the procurement or the execution of that contract, without the GoN having taken timely and appropriate action satisfactory to DP to remedy the situation.
- (d) DP will impose remedial actions on a firm or an individual, at any time, in accordance with DP's Anticorruption Policy and related Guidelines (as amended from time to time), including declaring ineligible, either indefinitely or for a stated period of time, to participate in DP-financed, -administered, or -supported activities or to benefit from an DP-financed, -administered, or -supported contract, financially or otherwise, if it at any time determines that the firm or individual

- has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations; and
- (e) The Contractor shall permit the GoN/DP to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors appointed by the GoN/DP, if so required by the GoN/DP.
- 3.2 The Bidder shall not carry out or cause to carry out the following acts with an intention to influence the implementation of the procurement process or the procurement agreement:
 - (a) give or propose improper inducement directly orindirectly,
 - (b) distortion or misrepresentation offacts,
 - (c) engaging in corrupt or fraudulent practice or involving in suchact,
 - (d) interference in participation of other competing bidders,
 - (e) coercion or threatening directly or indirectly to cause harm to the person or the property of any person tobe involved in the procurement proceedings,
 - (f) collusive practice among bidders before or after submission of bids for distribution of works among bidders or fixing artificial/uncompetitive bid price with an intention to deprive the Employer the benefit of open competitive bidprice,
 - (g) contacting the Employer with an intention to influence the Employer with regards to the bids or interference of any kind in examination and evaluation ofthebidsduringtheperiodfromthetimeofopeningofthebidsuntilthe notification of award of contract.
- 3.3 PPMO, on the recommendation of the Procuring Entity may blacklist a Bidder for a period of one (1) to three (3) years for its conduct including on the following grounds and seriousness of the act committed by the bidder:
 - (a) if convicted by a court of law in a criminal offence which disqualifies the Bidder from participating in the contract,
 - (b) if it is established that the contract agreement signed by the Bidder was based on false or misrepresentation of Bidder's qualificationinformation,
 - (c)if it at any time determines that the firm has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for, or in executing, a GoN/DP-financedcontract.
 - (d) if the successful bidderfails to sign the contract.
- 3.4 A bidder declared blacklisted and ineligible by the GoN, Public Procurement Monitoring Office (PPMO) and/or the DP in case of DP funded project, shall be ineligible to bid for a contract during the period of time determined by the GoN,PPMO and/or the DP.
- 3.5 Furthermore, Bidders shall be aware of the provisions of GCC (GCC 28.3 and 72.3(j).

4. Eligible Bidders

4.1 A Bidder may be a natural person, private entity, or government - ownedentity—subject to ITB 4.5—or any combination of them in the form of a Joint Venture (JV) under an existing agreement, or with the intent to constitute a legally-enforceable joint

venture. In the case of a JV:

- (a) all partners shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms. Maximum number of JV shall be as specified **in the BDS**. The eligibility criteria requirement of the parties to the JV shall be as specified in Section III Evaluation and Eligibility Criteria, and
- (b) the JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the parties of the JV during the bidding process and, in the event the JV is awarded the Contract, during Contract execution.
- 4.2 A Bidder, and all parties constituting the Bidder, shall have the nationality of any country or eligible countries mentioned in the BDS. A Bidder shall be deemed to have the nationality of a country if the Bidder is a citizen or is constituted, or incorporated, and operates inconformity with the provisions of the laws of that country. This criterion shallalsoapplytothedeterminationofthenationalityofproposedsubContractorsor suppliers for any part of the Contract including related services.
- 4.3 A Bidder shall not have a conflict of interest. A Bidder found to have a conflict of interest shall be disqualified. if any of, including but not limited to, the following apply:
 - (a) they have controlling partners in common; or
 - (b) theyreceiveorhavereceivedanydirectorindirectsubsidyfromanyofthem; or
 - (c) they have the same legal representative for purposes of this bid; or
 - (d)they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or improperly influence on the Bid of another Bidder, or influence the decisions of the Employer regarding this bidding process;or
 - (e) a Bidder participates in more than one bid in this bidding process either individually or as a partner in a joint venture. This will result in the disqualification of all Bids in which it is involved. However, subject to any finding of a conflict of interest in terms of ITB 4.3 (a)-(d) above, this does not limit the participation of the same subcontractor in more than one bid; or
 - (f) a Bidder or any of its affiliated entity, participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the Bid; or
 - (g)a Bidder was affiliated with a firm or entity that has been hired (or is proposed to be hired)bytheEmployerasEngineerfortheContract.
- 4.4 A firm that is under a declaration of ineligibility by the GoN/DP in accordance with ITB 3, at the date of the deadline for bid submission or thereafter, shall be disqualified. A firm shall not be eligible to participate in any procurement activities under an DP-financed, -administered, or -supported project while under temporary suspension or debarment by DP pursuant to the DP's Anticorruption Policy (see ITB 3), whether such debarmentwasdirectlyimposedbytheDP,orenforcedbyotherDPspursuanttothe

Agreement for Mutual Enforcement of Debarment Decisions. A bid from a temporary suspended or debarred firm will be rejected. 4.5 Enterprises owned by Government shall be eligible only if they can establish that they are legally and financially autonomous and operate under commercial law, and that they are not a dependent agency of the GoN. 4.6 Bidders shall provide such evidence of their continued eligibility satisfactory to the Employer, as the Employer shall reasonably request. 4.7 Firmsshallbeexcludedinanyofthecases,if (a) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Nepal prohibits any import of goods or Contracting of works or services from that country or any payments to persons or entities in thatcountry. (b) DP Funded: as a matter of law or official regulation, Nepal prohibits commercial relations with that country, provided that the DP is satisfied that such exclusion does not preclude effective competition for the supply of goods or related services required; (c) DP Funded: a firm has been determined to be ineligible by the DP in relation to their guidelines or appropriate provisions on preventing and combatingfraudandcorruptioninprojectsfinancedbythem. 5. Eligible 5.1 The materials, equipment and services to be supplied under the Contract shall have their Materials, origin in any source countries as defined in ITB 4.2 above and all expenditures under **Equipment** and the Contract will be limited to such materials, equipment, and services. At the Services Employer's request, Bidders may be required to provide evidence of the origin of materials, equipment and services. 5.2 For purposes of ITB 5.1 above, "origin" means the place where the materials and equipment are mined, grown, produced or manufactured, and from which the services provided. Materials and equipment are produced manufacturing, processing, or substantial or major assembling of components, a commercially recognized product results that differs substantially inits basic characteristics or in purpose or utility from its components. B. Contents of Bidding Documents 6. Sections of 6.1 The Bidding Document consist of Parts I, II, and III, which include all the **Bidding Document** Sections indicated below, and should be read in conjunction with any Addenda issued in accordance with ITB 8. **PART I Bidding Procedures** SectionI Instructions to Bidders (ITB) Section II Bid Data Sheet(BDS) Section III Evaluation and Eligibility Criteria (EEC) Section IV Bidding Forms(BDF) **PART II Requirements** SectionV Works Requirements(WRQ)

SectionVI Bill of Quantities (BOQ) PART III Conditions of Contract and Contract Forms Section VII General Conditions of Contract (GCC) Section VIII Special Conditions of Contract (SCC) SectionIX Contract Forms(COF) 6.2 The Invitation for Bids issued by the Employer is not part of the Bidding Document. 6.3 The Employer is not responsible for the completeness of the Bidding Document and their Addenda, if they were not obtained directly from the source stated by the Employer in the Invitation for Bids. 6.4 The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Document and to furnish with its bid all information and documentation as is required by the Bidding Documents. Failure to furnish all informationor documentation required by the Bidding Document may result in he rejection of the bid. 7. Clarification of 7.1 A prospective Bidder requiring any clarification of the Bidding Document shall **Bidding Document,** contact the Employer in writing at the Employer's address indicated in the BDS or Site Visit, Pre-Bid raise any question or curiosity during the pre-bid meeting if provided for in Meeting accordance with ITB 7.4. The Employer will respond in writing to any request for clarification, provided that such request is received within the period as mentioned in ITB 7.5. The Employer shall forward copies of its response to all Bidders who have acquired the Bidding Document in accordance with ITB 6.3, including a description of the inquiry but without identifying its source. Should the Employer deem it necessary to amend the Bidding Document as a result of arequest for clarification, it shall do so following the procedure under ITB 8 and ITB 17.2 7.2 The Bidder is advised to visit and examine the Site of Works and its surroundings and obtain for itself, on its own risk and responsibility, all information that may be $necessary for preparing the bid and entering into a Contract for construction of the {\it Contract} for construction of the {\it Contract} for {$ Works. The costs of visiting the Site shall be at the Bidder's own expense. 7.3 The Bidder and any of its personnel or agents will be granted permission by the Employer to enter upon its premises and lands for the purpose of such visit, but only upon the express condition that the Bidder, its personnel, and agents will release and indemnify the Employer and its personnel and agents from and against all liability in respect thereof, and will be responsible for death or personal injury, loss of or damage toproperty, and anyother loss, damage, costs, and expenses in curred as a result of the inspection. 7.4 The Bidder's designated representative is invited to attend a pre-bid meeting, if provided for in the BDS. The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage. 7.5 The Bidder is requested, as far as possible, to submit any questions in writing, to reach the Employeras mentioned in BDS. 7.5 The Bidder is requested, to submit any questions in writing, to reach the Employer as

7.6 Minutes of the pre-bid meeting, including the text of the questions raised, without

mentioned in BDS.

| 8. Amendment of Bidding Document | identifying the source, and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Bidders who have acquired the Bidding Document in accordance with ITB 6.3. Any modification to the Bidding Document that may become necessary as a result of the pre-bid meeting shall be made by the Employer exclusively through the issue of an addendum pursuant to ITB 8 and not through the minutes of the pre-bid meeting. 7.7 Nonattendance at the pre-bid meeting will not be a cause for disqualification of a Bidder. 8.1 At any time prior to the deadline for submission of bids, the Employer may amend the Bidding Document by issuing agenda. 8.2 Any addendum issued shall be part of the Bidding Document and shall be communicated in writing to all who have obtained the Bidding Document from the Employer in accordance with ITB 6.3. 8.3 To give prospective Bidders reasonable time in which to take an addendum into account in preparing their bids, the Employer may, at its discretion, extend the deadline for the submission of bids, pursuant to ITB 19.2 |
|-------------------------------------|--|
| | C. Preparation of Bids |
| 9. Cost of Bidding | 9.1 The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the Employer shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process. |
| 10. Language of Bid | 10.1 The Bid, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Employer, shall be written in the language specified in the BDS . Supporting documents and printed literature that are part of the Bid may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified in the BDS , in which case, for purposes of interpretation of the Bid, such translation shall govern. |
| 11. Documents Comprising the Bid | (a) Letter of Bid; (b) completed Bill of Quantities (BoQ), in accordance with ITB 12 and ITB 13, or as stipulated in theBDS; (c) Bid Security, in accordance with ITB16; (d) written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with ITB17.2; (e) documentary evidence of establishing the Bidder'seligibility; (f) Bids submitted by a Joint Venture shall include a copy of the Joint Venture Agreement entered into by all partners. Alternatively, a Letter of Intent to execute a Joint Venture Agreement in the event of a successful Bid shall be signed by all partners and submitted with the Bid, together with a copy of the proposed agreement. The Joint Venture agreement, or letter of intent to enter into a Joint Venture including a draft agreement shall indicate at least the parts of the Works to be executed by the respective partners; and (h) Any other document required in the BDS. |

| | 11.2 The Bidder is solely responsible for the authenticity of the submitted documents. |
|-----------------------------------|--|
| 12. Letter of Bid and Schedules | 12.1 The Letter of Bid, Schedules, and all documents listed under ITB 11, shall be prepared using the relevant forms in Section IV (Bidding Forms) and in Section VI (Bill of Quantities). The forms must be completed without any alterations to the text, and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested. |
| 13. Bid Prices and Discounts | 13.1 The prices and discounts quoted by the Bidder in the Letter of Bid and in the Schedules shall conform to the requirements specified below. |
| | 13.2 The Bidder shall submit a bid for the whole of the works described in ITB 1.1 by filling in prices for all items of the Works, as identified in Section VI (Bill of Quantities). In case of Unit Rate Contracts, the Bidder shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price isenteredbytheBidderwillnotbepaidforbytheEmployerwhenexecutedand shall be deemed covered by the rates for other items and prices in the Bill of Quantities. 13.3 The price to be quoted in the Letter of Bid shall be the total price of the Bid, excluding any discounts offered. Absence of the total price in the Letter of Bid or the Bid Price in |
| | the Bill of Quantities shall result in rejection of the Bid. 13.4 The Bidder shall quote any discounts and the methodology for their application in the Letter of Bid, in accordance with ITB 12.1. |
| | 13.5 If so indicated in ITB 1.1, bids are invited for individual Contracts or for any combination of Contracts (packages). Bidders wishing to offer any price reduction for the award of more than one Contract shall specify in their bid the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Price reductions or discounts shall be submitted in accordance with ITB 13.4, provided the bids for all Contracts are submitted and opened at the same time. |
| | 13.6 Unless otherwise provided in the BDS and the Conditions of Contract, the prices quoted by the Bidder shall be fixed. If the prices quoted by the Bidder are subject to adjustment during the performance of the Contract in accordance with the provisions of the Conditions of Contract, the Bidder shall furnish the indices and weightings for the price adjustment formulae in the Table of Adjustment Data in Section IV (Bidding Forms) and the Employer may require the Bidder to justify its proposed indices and weightings. |
| | 13.7 All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 30 days prior to the deadline for submission of bids, shall be included in the rates and prices and the total bid price submitted by the Bidder. |
| 14. Currency of Bid and Payment | 14.1 The currency of the bid and payment shall be in Nepalese Rupees. |
| 15. Period of Validity of Bids | 15.1 Bids shall remain valid for the period specified in the BDS after the bid submission deadline date prescribed by the Employer. A bid valid for a shorter period shall be rejected by the Employer as nonresponsive. |
| | 15.2 In exceptional circumstances, prior to the expiration of the bid validity period, |

| | the Employer may request Bidders to extend the period of validity of their Bids. The |
|------------------|---|
| | request and the responses shall be made in writing. If a bid security is requested in |
| | accordance with ITB 16, it shall also be extended 30 days beyond the deadline of the |
| | extended validity period. A Bidder may refuse the request without forfeiting its bid |
| | security. A Bidder granting the request shall not be required or permitted to modify its |
| | Bid. |
| 16. Bid Security | 16.1TheBiddershallfurnishaspartofitsbid,inoriginalform,abidsecurityas specifiedin the |
| | BDS. In case of e-submission of bid, the Bidder shall upload scanned copy of Bid |
| | security letter at the time of electronic submission of the bid. The Bidder accepts that |
| | the scanned copy of the Bid security shall, for all purposes, be equal to the original. The |
| | details of original Bid Security and the scanned copy submitted with e-bid should bethe |
| | same otherwise the bid shall be non-responsive. |
| | 16.2 Thebidsecurityshallbe,attheBidder'soption,inanyofthefollowingforms: |
| | (a) anunconditionalbankguaranteefrom"A"class commercialbankor; |
| | (b) a cash deposit voucher in the Employer's Account as specified inBDS . |
| | In the case of a bank guarantee, the bid security shall be submitted either using the Bid |
| | Security Form included in Section IV (Bidding Forms) or in another Form acceptableto |
| | the employer. The form must include the complete name of the Bidder. The bid security |
| | shallbevalidfor minimumthirty(30)daysbeyondtheoriginalvalidityperiodofthebid,or |
| | beyond any period of extension if requested under ITB 15.2. |
| | 16.3 Any bid not accompanied by an enforceable and substantially compliant bid security |
| | shall be rejected by the Employer as nonresponsive. In case of e- Submission, if the |
| | scanned copy of an acceptable Bid Security letter is not uploaded with the electronic |
| | Bid then Bid shall be rejected. |
| | 16.4 The bid security of unsuccessful Bidders shall be returned within three days, once the |
| | successful bidder has furnished the required performance security and signed the |
| | Contract Agreement pursuant to ITB 34.1and 35.1. |
| | 16.5 The bid security shall beforfeited if: |
| | (a) a Bidder requests for withdrawal or modification of its bid, except as provided in ITB15.2: |
| | • |
| | (i) during the period of bid validity specified by the Bidder on the Bid, in case of electronic submission; |
| | (ii) from the period twenty-fourhourspriortobidsubmissiondeadlineuptothe |
| | period of bid validity specified by the Bidder on the Letter of Bid, in case of |
| | hard copy submission. |
| | (b) a Bidder changes the prices or substance of the bid while providing information |
| | pursuant to clause ITB24.1; |
| | (c) a Bidder involves in fraud and corruption pursuant to clause3.1; |
| | (d) the successful Bidder fails to: |
| | (i) furnish a performance security in accordance with ITB 34.1;or |
| | (ii) sign the Contract in accordance with ITB 35.1 |

| | (iii) accept the competion of outhwestical among nymought to clause 20.1. |
|------------------------------------|---|
| | (iii) accept the correction of arithmetical errors pursuant to clause 28.1; |
| | 16.6 The Bid Security of a JV shall be in the name of the JV that submits the bid. If the JV |
| | has not been legally constituted at the time of bidding, the Bid Security shall be in the |
| 17. Format and | names of all future partners as named in the letter of intent mentioned in ITB 4.1. |
| Signing of Bid | 17.1 The Bidder shall prepare one original of the documents comprising the bid as described in ITB 11 and clearly mark it ORIGINAL". In addition, the Bidder shall submit copies of the bid in the number specified in the BDS , and clearly mark each of them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail. In case of e-submission of bid, the Bidder shall submit his bid electronically in PDF or web forms files as specified in ITB Clause 18.1(b), |
| | 17.2 The original and all copies of the bid shall be typed or written in indelible ink and shall |
| | be signed by a person duly authorized to sign on behalf of the Bidder. This |
| | authorization shall consist of a written confirmation as specified in the BDS and shall be attached to the bid. The name and position held by each person signing the |
| | authorization must be typed or printed below the signature. All pages of the bid, except |
| | forunamendedprintedliterature, shall be signed or initial ed by the person signing the |
| | bid. |
| | 17.3 Any amendments such as interlineations, erasures, or overwriting shall be valid only if |
| | they are signed or initialed by the person signing the bid. |
| | D. Submission and Opening of Bids |
| 18. Sealing and Marking of Bids | 18.1 Unless otherwise specified in BDS , Bidders shall submit their bids by electronic or by mail/by hand/by courier. Procedures for submission, sealing and marking are as follows: |
| | (a) Bidderssubmittingbidsbymail,byhandorbycourier |
| | i. Bidders shall enclose the original and each copy of the Bid. These envelopes containing the original and the copies shall then be enclosed in one single envelope. |
| | ii. The inner and outer envelopesshall: |
| | (aa) bear the name and address of the Bidder; |
| | (bb) be addressed to the Employer as provided in BDS 19.1; |
| | (cc) bear the specific identification of this bidding process indicated in BDS 1.1; and |
| | (dd) bear a warning not to open before the time and date for bid opening. |
| | iii. If all envelopes are not sealed and marked as required, the Employer will assume no responsibility for the misplacement or premature opening of the bid. |
| | (b) Bidders submitting Bids electronically shall follow the electronic bid submission procedure specified in BDS . |
| 19. Deadline for | 19.1 Bids must be received by the Employer at the address and no later than the date and |
| Submission of Bids | time indicated in the BDS . In case of e-submission, the standard time for e-submission |
| | is Nepalese Standard Time as set out in the server. The e-procurement system will |

| | accept the e-submission of bid from the date of publishing of notice and will |
|---------------------|--|
| | automatically not allow the e-submission of bid after the deadline for submission ofbid. |
| | 19.2 The Employer may, at its discretion, extend the deadline for the submission of bids by |
| | amending the Bidding Document in accordance with ITB 8, in which case all rights and |
| | obligations of the Employer and Bidders previously subject to the deadline shall |
| | thereafter be subject to the deadline as extended. |
| 20. Late Bids | 20.1 The Employer shall not consider any bid that arrives after the deadline for submission |
| | of bids, in accordance with ITB 19. Any bid received by the Employer after the |
| | deadlineforsubmissionofbidsshallbedeclaredlate,rejected,andreturnedunopened |
| | to the Bidder. |
| 21. Withdrawal, | 21.1 A Bidder may withdraw, or modify its bid after it has been submitted either in |
| and Modification of | hard copy or by e-submission. Procedures for withdrawal or modification of |
| Bids | submitted bids are asfollows: |
| | (i) Bids submitted in hardCopy |
| | a) Bidders may withdraw or modify its bids by sending a written notice in a |
| | sealed envelope, duly signed by an authorized representative, and shall include |
| | a copy of the authorization in accordance with ITB 17.2 before 24 hours |
| | prior to the last deadline of submission of bid. The corresponding |
| | modification of the bid must accompany the respective written notice. All |
| | notices mustbe: |
| | (aa) prepared and submitted in accordance with ITB 17 and ITB 18,and in |
| | addition, the respective envelopes shall be clearly marked |
| | "WITHDRAWAL", "MODIFICATION;" and |
| | (bb) received by the Employer twenty four hour hours prior to the |
| | deadline prescribed for submission of bids, in accordance with ITB19. |
| | ii) E-submittedbids. |
| | a) Biddermaysubmitmodificationorwithdrawalpriortothedeadline |
| | prescribed for submission of bids through e-GP system by using the forms |
| | and instructions provided by the system. |
| | 21.2. Bids requested to be withdrawn in accordance with ITB 21.1 shall not be opened. In |
| | case of hard copy submission, the Bid will be returned unopened to the Bidders. |
| | 21.3 Bidder may submit request for withdrawal or modification only one time except |
| | electronically submitted bid. |
| | |
| | 21.4 In case of hard copy bid, no bid may be withdrawn if the bid has already been modified. |
| | |
| | 21.5 Request for withdrawal or modification must be made through the same medium of |
| | submission. Request for withdrawal or modifications through different medium shall |
| | not beconsidered. |
| | 21.6 ThefollowingprovisionsapplyforwithdrawalormodificationoftheBids: |
| | (i) In case of bids submitted in hard copy no bid shall be withdrawn or modified in |
| | the interval between 24 hours prior to the deadline for submission of bids and |
| | the expiration of theperiod of bid validity specified by the Bidder on the Letter |

of Bid or any extension thereof. (ii) In case of e-submitted bids no bids shall be withdrawn or modified in the interval between deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Letter of Bid or any extension thereof. 21.7 Once a Bid is withdrawn, bidder will not be able to submit another bid for the same bid. 22. Bid Opening 22.1 The Employer shall open the bids in public at the address, date and time specified in **the BDS** in the presence of Bidders' designated representatives who choose to attend. 22.2 The Employer shall download the e-submitted bid files. The e-procurement system allows the Employer to download the e-submitted bid files (report) only after bid opening date and time after login simultaneously by two members of the Bid opening committee. 22.3 Electronically submitted bid shall be opened at first in the same time and date as specified above. Electronic Bids shall be opened one by one and read out. The esubmitted bids must be readable through open standards interfaces. Unreadable and or partially submitted bid files shall be considered incomplete. 22.4 Thereafter, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelope with the corresponding bid shall not be opened, but returned to the Bidder. No bid withdrawal shall be Permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at bid opening. Next, envelopes marked "MODIFICATION" shall be opened and read out with the corresponding bid. No bid modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at bid opening. Only envelopes that are opened and read outat bid opening shall be considered further. 22.5 All other envelopes shall be opened one at a time, reading out: the name of the Bidder; the Bid Price(s), including any discounts and alternative bids and indicating whether there is a modification; the presence of a bid security and any other details as the Employer may consider appropriate. Only discounts and alternative offers readout at bid opening shall be considered for evaluation. No bid shall be rejected at bid opening except for late bids, in accordance with ITB 20.1. 22.6 The Employer shall prepare a record of the bid opening that shall include, as a minimum: the name of the Bidder and whether there is a withdrawal, or modification; the Bid Price, per Contract if applicable, including any discounts and alternative offers; and the presence or absence of a bid security. The Bidders' representatives who are present shall be requested to sign the record. The omission of a Bidder's signature on the record shall not invalidate the contents and effect of the record. E. Evaluation and Comparison of Bids 23. Confidentiality 23.1 Information relating to the examination, evaluation, comparison, and recommendation of Contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process until information on Contractaward is communicated to

| | all Bidders. | | | | | | |
|-------------------------------------|---|--|--|--|--|--|--|
| | 23.2 Any attempt by a Bidder to influence the Employer in the evaluation of the bids | | | | | | |
| | orContractawarddecisionsmayresultintherejectionofitsbid. | | | | | | |
| | 23.3 Notwithstanding ITB 23.2, from the time of bid opening to the time of Contract award, | | | | | | |
| | if any Bidder wishes to contact the Employer on any matter related to the bidding | | | | | | |
| | process, it may do so in writing. | | | | | | |
| 24. Clarification of Bids | 24.1 To assist in the examination, evaluation, and comparison of the bids, the Employer may, at its discretion, ask any Bidder for a clarification of its bid. Any clarification submitted by a Bidder that is not in response to a request by the Employer shall not be considered. The Employer's request for clarification and the response shall be in writing. No change in the prices or substance of the bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Employer in the evaluation of the bids, in accordance with ITB 28. In case of esubmission of bid, upon notification from the employer, the bidder shall also submit the original of documents comprising the bid as per ITB 11.1 for verification of submitted documents for acceptance of the e-submitted bid. | | | | | | |
| | 24.2 If a Bidder does not provide clarifications of its bid by the date and time set in the Employer's request for clarification, its bid may be rejected. | | | | | | |
| 25. Deviations, | 25.1 During the evaluation of bids, the following definitions apply: | | | | | | |
| Reservations, and Omissions | (a) "Deviation" isadeparture from the requirements specified in the Bidding Document; | | | | | | |
| Omissions | (b) "Reservation" is the setting of limiting conditions or withholding from complete | | | | | | |
| | acceptanceoftherequirementsspecifiedintheBiddingDocument;and | | | | | | |
| | (c) "Omission" is the failure to submit part or all of the information or | | | | | | |
| | documentation required in the BiddingDocument. | | | | | | |
| 26. Determination of Responsiveness | 26.1 The Employer's determination of a bid's responsiveness is to be based on the contents of the bid itself, as defined inITB11. | | | | | | |
| | 26.2 A substantially responsive bid is one that meets the requirements of the Bidding Document without material deviation, reservation, or omission. A material deviation, reservation, or omission is onethat, (a) if accepted, would: | | | | | | |
| | (i) affect in any substantial way the scope, quality, or performance of the Works specified in theContract; | | | | | | |
| | or | | | | | | |
| | (ii) limit in any substantial way, inconsistent with the Bidding Document, the Employer's rights or the Bidder's obligations under the proposed Contract; or | | | | | | |
| | (b) if rectified, would unfairly affect the competitive position of other Bidders presenting substantially responsive bids. | | | | | | |
| | 26.3 If a bid is not substantially responsive to the requirements of the Bidding Document, it shall be rejected by the Employer and may not subsequently be made responsive by correction of the material deviation, reservation, or omission. | | | | | | |
| | 26.4 In case of e-submission bids, the Employer evaluates the bidonthe basis of the | | | | | | |

| | information in the electronically submitted bid files. If the Bidder cannot substantiate or provide evidence to establish the information provided in e-submitted bid through documents/ clarifications as per ITB Clause 24.1, the bidshall not be considered for further evaluation. |
|--|---|
| Nonconformities, Errors, and Omissions | 27.1 Provided that a bid is substantially responsive, the Employer may waive any non-conformities in the bid that do not constitute a material deviation, reservation, or omission. |
| Omissions | 27.2 Provided that a bid is substantially responsive, the Employer may request that the Bidder submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities in the bid related to documentation requirements. Requesting information or documentation on such nonconformities shall not be related to any aspect of the price of the bid. Failure of the Bidder to comply with the request may result in the rejection of its bid. |
| | 27.3 Provided that a bid is substantially responsive, the Employer shall rectify quantifiable nonmaterial nonconformities related to the Bid Price. To this effect, the Bid Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or nonconforming item or component. The adjustment shall be made using the methods indicated in Section III (Evaluation and Eligibility Criteria). |
| | 27.4 If the monetary value of such non-conformities is found to be more than fifteen percent of the Bid Price of the bidder on account of minor discrepancies pursuant to ITB 27.3, such bid shall be considered non responsive and shall not be involved in evaluation. |
| 28. Correction of Arithmetical Errors | 28.1 Provided that the bid is substantially responsive, the Employer shall correct arithmetical errors on the followingbasis: |
| Artimicical Errors | (a) only for unit price Contracts, if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Employer there isanobviousmisplacementofthedecimalpointintheunitprice,inwhichcasethetotal priceasquotedshallgovernandtheunitpriceshallbecorrected; |
| | (b) ifthereisanerrorinatotalcorrespondingtotheadditionorsubtractionofsubtotals,the subtotalsshallprevailandthetotalshallbecorrected;and |
| | (c) If there is a discrepancy between the bid price in the Summary of Bill of Quantities and the bid amount in item (c) of the Letter of Bid, the bid price in the Summary of Bill of Quantities will prevail and the bid amount in item (c) of the Letter of Bid will be corrected. |
| | (d) ifthereisadiscrepancybetweenwordsandfigures,theamountinwordsshallprevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a),(b) and (c) above. |
| | 28.2 If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited. |
| 29. Evaluation of Bids | 29.1 The Employer shall use the criteria and methodologies listed in this Clause. No other evaluation criteria or methodologies shall be permitted. |
| | 29.2 To evaluate a bid, the Employer shall consider the following: |

(a) the bid price, excluding Value Added Tax, Provisional Sums, and the provision, if any, for contingencies in the Summary Bill of Quantities, for Unit Rate Contracts, or Schedule of Prices for lump sum Contracts, but including Day work items, where pricedcompetitively; (b) price adjustment for correction of arithmetic errors in accordance with ITB28.1; (c) priceadjustmentduetodiscountsofferedinaccordancewithITB13.4; (d) adjustment for nonconformities inaccordance with ITB 27.3; (e) application of all the evaluation factors indicated in Section III (Evaluation and EligibilityCriteria); 29.3 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be taken into account in bid evaluation. 29.4 If this Bidding Document allows Bidders to quote separate prices for different Contracts, and to award multiple Contracts to a single Bidder, the methodology to determine the lowest evaluated price of the Contract combinations, including any discounts offered in the Letter of Bid, is specified in Section III (Evaluation and Eligibility Criteria). 29.5 if the bid for an Unit Rate Contract, which results in the lowest Evaluated Bid Price is seriously unbalanced or front loaded in the opinion of the Employer, the Employer may require the Bidder to produce detailed price analysis for any or all items of the Bill of Quantities, to demonstrate the internal consistency of those prices with the construction methods and schedule proposed. After evaluation of the price analysis, taking into consideration the schedule of estimated Contract payments, the Employer may require that the amount of the performance security be increased at the expense of the Bidder as mentioned in BDS to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract. 29.6 In case of e-submission bids, the Employer evaluates the bid on the basis of the information in the electronically submitted bid files. If the Bidder cannot substantiate or provide evidence to establish the information provided in e-submitted bid through documents/ clarifications as per ITB Clause 24.1, the bid shall notbe considered for further evaluation. 30. Comparison of 30.1 The Employer shall compare all substantially responsive bids in accordance with ITB 29.2 to determine the lowest evaluated bid. **Bids** 31. Employer's 31.1 The Employer reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to Contract award, without thereby incurring **Right to Accept Any** Bid, and to Reject any liability to Bidders. In case of annulment, all bids submitted and specifically, bid Any or All Bids securities, shall be promptly returned to the Bidders. F. Award of Contract 32.1 The Employer shall award the Contract to the Bidder whose offer has been determined 32. Award Criteria to be the lowest evaluated bid and is substantially responsive to the Bidding Document, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.

| 33. Letter of Intent to Award the Contract/Notific ation of Award | 33.1 The Employer shall notify the concerned Bidder whose bid has been selected in accordance with ITB 32.1 within seven days of the selection of the bid, in writing that the Employer has intention to accept its bid and the information regarding the name, address and amount of selected bidder shall be given to all other bidders who submitted the bid. |
|--|---|
| | 33.2 If no bidder submits an application pursuant to ITB 36 within a period of seven days of the notice provided under ITB 33.1, the Employer shall, accept the bid selected in accordance with ITB 32.1 and Letter of Acceptance shall be communicated to the selected bidder prior to the expiration of period of Bid validity, to furnish the performance security and sign the contract within fifteen days. |
| 34. Performance Security | 34.1 Within Fifteen (15) days of the receipt of Letter of Acceptance from the Employer, the successful Bidder shall furnish the performance security as under mentioned from A class Commercial Bank in accordance with the conditions of Contract using Sample Form for the Performance Security included in Section IX (Contract Forms), or another form acceptable to the Employer. i) If bid price of the bidder selected for acceptance is up to 15 (fifteen) percent below |
| | the approved cost estimate, the performance security amount shall be 5 (five) percent of the bidprice. |
| | ii) For the bid price of the bidder selected for acceptance is more than 15 (fifteen) percent below of the cost estimate, the performance security amount shall be determined asfollows: |
| | Performance Security Amount =[(0.85 x Cost Estimate – Bid Price) x 0.5] + 5% of Bid Price. |
| | The Bid Price and Cost Estimate shall be inclusive of Value Added Tax. |
| | 34.2 Failure of the successful Bidder to submit the above-mentioned Performance Security or to sign the Contract Agreement shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security. In that event the Employer may award the Contract to the next lowest evaluated Bidder whose offer is substantially responsive and is determined by the Employer to be qualified to perform the Contractsatisfactorily. The process shall be repeated according to ITB 33. |
| 35. Signing of | 35.1 The Employer and the successful Bidder shall sign the Contract Agreement within the |
| Contract | period as stated ITB 34.1. 35.2 At the same time, the Employer shall affix a public notice on the result of the award on its notice board and make arrangement for causing such notice to be affixed on the notice board also of the District Development Committee, District Administration Office and District Treasury and Controller Office. The Employer may make arrangements to post the notice into its website, if it has; and if it does not have, into the website of the Public Procurement Monitoring Office, identifying the bid and lot numbers and the following information: (i) the result of evaluation of bid; (ii) date of publication of notice inviting bids; (iii) name of newspaper; (iv) reference number of notice;(v)itemofprocurement;(vi)nameandaddressofbiddermakingcontractand (vii) contract price. |

- 35.3 Within thirty (30) days from the date of issuance of notification pursuant to ITB 33.1 unsuccessful bidders may request in writing to the Employer for a debriefing seeking explanations on the grounds on which their bids were not selected. The Employer shall promptly respond in writing to any unsuccessful Bidder who, requests for debriefing.
- 35.4 If the bidder whose bid is accepted fails to sign the contract as stated ITB 35.1, the Public Procurement Monitoring Office shall blacklist the bidder on recommendation of the Public Entity.

36. Complaint and Review

- 36.1 If a Bidder is dissatisfied with the Procurement proceedings or the decision made by the Employer in the intention to award the Contract, it may file an application to the Chief of the Public Entity within Seven (7) days of providing the notice under ITB33.1 by the Public Entity, for review of the proceedings stating the factual and legal grounds.
- 36.2 Late application filed after the deadline pursuant to ITB 36.1 shall not be processed.
- 36.3 The chief of Public Entity shall, within five (5) days after receiving the application, give its decision with reasons, in writing pursuant to ITB 36.1:
 - (a) whether to suspend the procurement proceeding and indicate the procedure to be adopted for further proceedings; or
 - (b) to reject the application.

The decision of the chief of Public Entity shall be final for the Bid amount up to the value as stated in 36.4.

- 36.4 If the Bidder is not satisfied with the decision of the Public Entity in accordance with ITB 36.3, is not given within five (5) days of receipt of application pursuant to ITB 36.1, it can, within seven (7) days of receipt of such decision, file an application to the Review Committee of the GoN, stating the reason of its disagreement on the decision of the chief of Public Entity and furnishing the relevant documents, provided that its Bid amount is more than Rupees Twenty Million (Rs. 20,000,000). The application may be sent by hand, by post, by courier, or by electronic media at the risk of the Bidder itself.
- 36.5 Late application filed after the deadline pursuant to ITB 36.4 shall not be processed.
- 36.6 Within three (3) days of the receipt of application from the Bidder, pursuant to ITB 36.4, the Review Committee shall notify the concerning Public Entity to furnish its procurement proceedings, pursuant to ITB 36.3.
- 36.7 Within three (3) days of receipt of the notification pursuant to ITB 36.6, the Public Entity shall furnish the copy of the related documents to the Review Committee.
- 36.8 The Review Committee, after inquiring from the Bidder and the Public Entity, if needed, shall give its decision within one (1) month of the receipt of the application filedbytheBidder,pursuanttoITB36.4.
- 36.9TheBidder,filingapplication pursuanttoITB36.4,shall have to furnishacashamount or Bank guarantee from "A" class commercial bank equivalent to zero point five percent (0.15%) of its quoted Bid amount with the validity period of at least ninety(90) days from the date of the filing of application pursuant to ITB 36.4.
- 36.10 If the claim made by the Bidder pursuant to ITB 36.4 is justified, the Review Committee shall have to return the security deposit to the applicant, pursuant to ITB 36.9, within seven (7) days of such decision made.

Bid Data Sheet

| A. General | | | | | | |
|---------------|--|--|--|--|--|--|
| ITB 1.1 | The number of the Invitation for Bids is : o6/MMDARCHULA/NCB/CTDVC 2076/77 | | | | | |
| ITB 1.1 | The Employer is: Mahakali Municipality,Office of Municipal Executive,Khalanga,Darchula | | | | | |
| ITB 1.1 | The number and identification of lots comprising this bidding process is: 06/MMDARCHULA/NCB/CTDVC 2076/77 | | | | | |
| ITB 2.1 | The name of the Project is: <i>Chhapari Tourism Development & View Tower Construction ma na pa1</i> . The implementing agency is: Mahakali Municipality, Office of Municipal Executive, Khalanga, Darchula | | | | | |
| ITB 4.1 (a) | Maximum number of partner in a joint venture shall be: 3 (three) | | | | | |
| ITB 4.2 | Eligible countries: Nepal | | | | | |
| | B. Bidding Document | | | | | |
| ITB 7.1 | For clarification purposes only, the Employer's address is: Attention:MahakaliMunicipality Address: Khalanga,Darchula Telephone: :093-420137 Facsimile number :093-420137 Electronic mail address:mmdarchula@gmail.com | | | | | |
| ITB 7.4 | A Pre-Bid meeting shall held. Pre-Bid Meeting will | | | | | |
| | take place at the following date, time and place: | | | | | |
| | Date: Time: hrs Place: Mahakali Municipality,Office | | | | | |
| | A site shall not be organized by the Employer. | | | | | |
| ITB 7.5 | Time for request: Requests for clarification should be received by the Employer no later than 10 days prior to the deadline for submission of bids. | | | | | |
| | C. Preparation of Bids | | | | | |
| ITB 10.1 | The language of the bid is: English / Nepali | | | | | |
| 'ITB 11.1 (b) | In accordance with ITB 12 and ITB 14, the following schedules shall be submitted with the bid, including the priced Bill of Quantities for Unit Rate Contracts and Schedule of Prices for lump sumcontracts: | | | | | |
| ITB 11.1 (i) | The Bidder shall submit with its bid the following additional documents: | | | | | |
| ITB 13.6 | The prices quoted by the Bidder shall not be subject to adjustment during the performance of the | | | | | |

| | Contract. | | | | | | |
|--------------|--|--|--|--|--|--|--|
| ITB 15.1 | The bid validity period shall be: One Hundreed Twenty (120) days | | | | | | |
| ITB 16.1 | The Bidder shall furnish a bid security, from "A" class commercial bank with a minimum of 94000 which shall be valid for 30 days beyond the validity period of the bid. | | | | | | |
| ITB 16.2 (b) | Account Name: Mahakali Municipality Bank Name: Rastriya Banijya Bank Bank Address: Khalanga, Darchula Account Number: 40900304010003 | | | | | | |
| ITB 17.1 | In addition to the original of the bid, the number of copy/ies is/are: Not Applicable | | | | | | |
| ITB 17.2 | The written confirmation of authorization to sign on behalf of the Bidder shall indicate: (a) The name and description of the documentation required to demonstrate the authority ofthesignatorytosigntheBidsuch asaPowerof Attorney;and | | | | | | |
| | (b) In the case of Bids submitted by an existing or intended JV, an undertaking signed by all parties (i) stating that all parties shall be jointly and severally liable, and (ii) nominating a Representative who shall have the authority to conduct all business for and on behalf of any and all the parties of the JV during the bidding process and, in the event the JV is awarded the Contract, during contractexecution. | | | | | | |
| | D. Submission and Opening of Bids | | | | | | |
| ITB 18.1 | Bidders shall have the option of submitting their bids by electronic or by hand | | | | | | |
| ITB 18.1 (b) | Electronic bid submission procedure: (a) Bidders submitting Bids electronically shall follow the electronic bid submission procedures specified in this clause. i. Bidders, who choose to submit their bids electronically, can view/download the bidding documents from "published bids" section of e-GP systemhttps://bolpatra.gov.np/egp. ii. For the purpose of e-Submission, the bidder shall, at first, register in e-GP system and maintain their organization profile data and documents required during bid response preparation. The details of e-GP registration and profile management procedure are specified in Article No 9 and 10 respectively of e-GP Directives issued by PPMO, which can be downloaded from Downloadsection of e-GP system. iii. Inordertosubmitthe bid, interested bidders shall deposit the cost of biding document | | | | | | |

- in the bank and account specified in Invitation for Bid (IFB). The scanned copy (in PDF format) of the bank deposit voucher shall also be submitted along with the bid.
- iv. The bidders shall prepare their bids using data and documents maintained in bidder's profile, instruction provided by e-GP system and forms/format provided in the bidding document.
- v. Bidders may submit bids as a single entity or as a joint venture (JV). Bidder submitting bid in JV shall have to upload joint venture agreement along with partner(s) Bolpatra ID provided during bidder's registration.
- vi. Bidders (all partners in case of JV) shall update their profile data and documents required during preparation and submission of their bids.
- vii. In case of bid submission in JV, the consent of the partners shall be obtained through the confirmation link sent to the registered email address and the partners shall have to acknowledge their confirmation.
- viii. Bidders shall submit the required documents as specified in Section I-Instruction to Bidders, Section II-Bid Data Sheet and Section III-Evaluation and Eligibility Criteria of the bidding document. The format of the documents shall be in PDF and/or web form as provisioned in the e-GPsystem.
- ix. After providing all the details and documents, the e-GP system will generate bid response documents for the bidder. Bidders shall download, verify and confirm the bid response documents prior to bidsubmission.
- x. For verifying the authentic user, the system will send one time password (OTP) in the registered e-mail address of the bidder. System will validate the OTP and then only allow bidders to submit theirbid.
- xi. Electronically submitted bids can be modified and/or withdrawn through the system within the bid submissiondeadline.
- xii. The bidder/bid shall meet the following requirements and conditions for esubmission ofbids;
 - aa) The e-submitted bids must be readable through PDF reader.
 - bb) The bidders are fully responsible for using the e-GP system as per specified procedures and in no case the employer shall be held liable for bidder's inability to use the system.
 - cc) When a bidder submits electronic bid through the e-GP System, it is assumed that the bidder has prepared the bid by studying and examining the complete set of the bidding document and e-GP instruction including the provision stipulated in e-GPDirectives.

ITB 19.1 For bid submission purposes only, the Employer's address is:

Attention: Mahakali Municipality Address: Khalanga, Darchula

| | The deadline for bid submission is: Date: 2077/01/05 Time: 12:00 hrs | | | | | | | |
|----------|--|--|--|--|--|--|--|--|
| ITB 22.1 | The bid opening shall take place at : Address: Mahakali Municipality,Office of Municipal Executive,Khalanga,Darchula Date: 2077/01/05 Time: 13:00 hrs | | | | | | | |
| | E. Evaluation and Comparison of Bids | | | | | | | |
| ITB 29.5 | The amount of the performance security be increased by Eight (8) percent of the quoted bid price. | | | | | | | |

SECTION - III

Evaluation and Eligibility Criteria

This Section contains all the criteria that the Employer shall use to evaluate bids and eligible Bidders. GoN/DP requires bidders to be qualified by meeting predefined eligibility criteria. In accordance with ITB 29, no other methods, criteria and factors shall be used. The Bidder shall provide all the information requested in the forms included in Section IV (Bidding Forms).

1. Evaluation

In addition to the criteria listed in ITB 29.2 (a) - (e) the following criteria shall apply:

1.1 MultipleContracts

Pursuant to Sub-Clause 29.4 of the Instructions to Bidders, if Works are grouped in multiple contracts, evaluation will be as follows:

Works are grouped in multiple contracts and pursuant to Sub-Clause 29.4 of the Instructions to Bidders, the Employer will evaluate and compare Bids on the basis of a contract, or a combination of contracts, or as a total of contracts in order to arrive at the least cost combination for the Employer by taking into account discounts offered by Bidders in case of award of multiple contracts.

1.2 Quantifiable Nonconformities and Omissions

Subject to ITB 13.2 and ITB 29.2, the evaluated cost of quantifiable nonconformities including omissions, is determined as follows:

[*Insert in bidding document:* "Pursuant to ITB 27.3, the cost of all quantifiable nonmaterial nonconformities shall be evaluated, but excluding omission of prices in the Bill of Quantities. The Employer will make its own assessment of the cost of any nonmaterial nonconformities and omissions for the purpose of ensuring fair comparison of bids."]

2. Eligibility

| Criter | ria | Cor | Documents | | | | | |
|---|-------------------------------|---|--------------------------|-------------------|---------------|--|--|--|
| Requirement | Single | | Joint Venture | | Submission | | | |
| | Entity | | Each Partner | One Partner | Requirements | | | |
| 2.1 Conflict of Inte | erest | | | | | | | |
| No conflicts of interest in accordance with ITB Sub-Clause 4.3. | | existing or intended JV requirement must meet requirement | | not applicable | Letter of Bid | | | |
| 2.2 Government/D | 2.2 Government/DP Eligibility | | | | | | | |
| Not having been declared ineligible by government/DP, | must meet requirement | must meet requirement | must meet requirement | not applicable | Letter of Bid | | | |

| as described in ITB Sub-Clause 4.4. | | | | | | | | | | | |
|--|---|-------------------|---|--|---------------------------|--------------------------|-------------------|-------------------|----------------------|--|--|
| 2.3 Government-owned Entity | | | | | | | | | | | |
| Bidder required meeting conditions of ITB Sub-Clause4.5. | must meet | | existing or intended JV must meet requirement | | | must meet requirement | | not applicable | | Forms ELI - 1, ELI - 2, with attachments | |
| 2.4 UN Eligibility | | | | | | | | | | | |
| Not having been ineligible based United Nations roor Employer's cour as described in ITB Clause 4.8. | | equirement intend | | existing or nded JVmust meet equirement | must meet t requiremen | | not applicable | | Letter of Bid | | |
| 2.5 OtherEligibili | ity | | | | | | | | | | |
| Firm Registration Certificate | | | must meet requirement | | not applicable | must m | | not applicab | | Oocument tachment | |
| Business Registration Certificate (License) | | | must meet requirement | | not applicable | must m | | not applicab | | Oocument tachment | |
| VAT and PAN Registration certificate | | | must mee requireme | | not applicable | must m | | not applicab | | Ocument tachment | |
| the F/Y 2074/075 or return submission | x clearances certificate for F/Y 2074/075 or Tax urn submission evidence or dence of tax time extension | | | not applicable | must m | | not applicab | | Occument tachment | | |
| Additional requires [Insert if any] | Additional requirements | | | | | | | | | | |

Section - IV

Bidding Forms

This Section contains the forms which are to be completed by the Bidder and submitted as part of its Bid.

Letter of Bid

The Bidder must accomplish the Letter of Bid in its letterhead clearly showing the Bidder's complete name and address.

| | Date: |
|-----|--|
| | Name of the contract: |
| | Invitation for Bid No.: |
| То: | |
| We | , the undersigned, declare that: |
| | We have examined and have no reservations to the Bidding Documents, including Addenda issuedinaccordancewithInstructionstoBidders(ITB)Clause8; WeoffertoexecuteinconformitywiththeBiddingDocumentsthefollowingWorks: |
| (c) | The total price of our Bid, excluding any discounts offered in item (d) below is:NRs; or when left blank is the Bid Price indicated in the Bill of Quantities ¹ . |
| (d) | The discounts offered and the methodology for their applicationare: |
| (e) | Our bid shall be valid for a period of 90 days from the date fixed for the bid submission deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted at any time before the expiration of that period; |
| (f) | If our bid is accepted, we commit to obtain a performance security in accordance with the BiddingDocument; |
| (g) | Our firm, including any subcontractors or suppliers for any part of the Contract, have nationalities from eligible countries or any countries [insert the nationality of the Bidder, including that of all parties that comprise the Bidder if the Bidder is a consortium or association, and the nationality of each Subcontractor and Supplier]; |
| (h) | We,includinganysubcontractorsorsuppliersforanypartofthecontract,donothaveany |

¹Absence of the total price in the Letter of Price Bid or in the Bill of Quantities shall result in rejection of the Bid.

conflict of interest in accordance with ITB 4.3;

- (i) We are not participating, as a Bidder or as a subcontractor, in more than one bid in this bidding process in accordance with ITB4.3;
- (j) Our firm, its affiliates or subsidiaries, including any Subcontractors or Suppliers for any part of the contract, has not been declared ineligible, under the Employer's country laws or official regulations or by anactofcompliancewithadecisionoftheUnitedNationsSecurityCouncil;
- (k) We are not a government owned entity/We are a government owned entity but meet the requirements of ITB4.5;1
- (l) We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- (m) We declare that, we have not been black listed as per ITB 3.4 and no conflict of interest in the proposed procurement proceedings and we have not been punished for an offense relating to the concerned profession orbusiness.
- (n) We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive; and
- (o) If awarded the contract, the person named below shall act as Contractor's Representative:
- (p) We agree to permit the Employer/DP or its representative to inspect our accounts and records and other documents relating to the bid submission and to have them audited by auditors appointed by the Employer.

| Name: |
|--|
| In the capacity of |
| Signed |
| Duly authorized to sign the Bid for and on behalf of |
| Date |

1 Useoneofthetwooptionsasappropriate.

Table of Price Adjustment Data

[TobeusedifPriceAdjustmentisapplicableas

per GCC53.1]

| Code | Index Description | Source of Index* | Base Value and Date | Employer's Proposed Weighting Range (coefficient) | Bidder's Proposed Weighting (coefficient)** |
|------|----------------------|---------------------|---------------------|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | Non - | | | 0.15 | 0.15 |
| | adjustable (A) | | | 0.13 | 0.13 |
| | Labor (b) | | | | |
| | Materials (c) | | | | |
| | Equipment | | | | |
| | usage (d) | | | | |
| | | Total | | | 1.00 |

*Normally following source of index shall apply. Public Entity shall choose applicable Index for each item.

- (a) Labor: "National Salary and Wage Rate Index"- "Construction Labor" of Nepal Rastra Bank or rate fixed by District Rate Fixation Committee
- (b) Material: "National Wholesale Price Index" Construction Materials" of Nepal RastraBank
- (c) Equipmentusage:

"National Wholesale Price Index" - "Transport Vehicles and Machinery Goods" of Nepal Rastra Bank or

"Fuel" Price fixed by Nepal Oil Corporation.

** BiddersproposedweightingsshouldbewithintherangespecifiedbytheEmployer incolumn-5

Table of Price Adjustment Data

[TobeusedifPriceAdjustmentisapplicable as per GCC53.6]

| Code | Construction Material* | Unit | BasePrice(NRs/Unit) (Exfactory) | Source (Factory)** |
|------|---------------------------|------|---------------------------------|--------------------|
| 1 | 2 | 3 | 4 | 5 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

^{*} Major construction materials to be specified by Employer in column - 2.

Note:

The base prices of the construction materials shall be taken as of 30 days before the deadline for submission of the Bid as quoted by the Bidder and verified by the Employer. For the purpose of calculation of price adjustment, the Ex-factory price of the same source shall be taken into consideration.

^{**} Base Price and source normally to be specified by Employer (or alternatively informed to be proposed by bidder) in column 4 and 5.

Bid Security Bank Guarantee

Bank's Name, and Address of Issuing Branch or Office (On Letter head of the 'A' class Commercial Bank)

| Beneficiary: | name and address of Employer |
|--|---|
| Date: | |
| Bid Security No.: | |
| intendstosubmititsbid(her | nat |
| Furthermore, we understa | nd that, according to your conditions, bids must be supported by a bid guarantee. |
| undertaketopayyouanysun(. | der,we |
| (a) haswithdrawnormodifi | esitsBid: |
| (ii) fromtheperiodtwenty-for BidderontheLetterofBi (b) does not accept the constitution (in the ITB"); or (c) having been notified on fails or refuses to exercise security, in accordance (d) isinvolvedinfraudandor This guarantee will remarked deadline for submission of the submission of the | orruptioninaccordancewiththeITB in in force up to and including the datenumberdays after the f Bids as such deadline is stated in the instructions to Bidders or as it may be |
| | r, notice of which extension(s) to the Bank is hereby waived. Any demand in bould reach the Bank not letter than theabove date. |
| = | not be withdrawn or released merely upon return of the original guarantee by the ou for the release of the guarantee. |
| This guarantee is subject to | to the Uniform Rules for Demand Guarantees, ICC Publication No. 758. |
| | Bank's seal and authorized signature(s) |
| Note: | |
| | |

Bidder's Information Format

| Site Organization | | |
|------------------------------|--|--|
| Method Statement | | |
| Mobilization Schedule | | |
| Construction Schedule | | |
| Others | | |

Bidder's Information

Form ELI - 1: Bidder's Information Sheet

| Bidder's Information | | |
|--|-------------------------------|--|
| Bidder's legal name | | |
| In case of JV, legal name of each partner | | |
| Bidder's country of constitution | | |
| Bidder's year of constitution | | |
| Bidder's legal address in country of constitution | | |
| Bidder's authorized representative (name, | | |
| address, telephone numbers, fax numbers, e- | | |
| mail address) | | |
| Attached are copies of the f | following original documents. | |
| 1. In case of single entity, articles of incorporation or constitution of the legal entity named above, in accordance with ITB 4.1 and 4.2. | | |
| 2. Authorization to represent the firm or JV named in above the contraction of the cont | e,inaccordancewithITB 17.2. | |
| 3. IncaseofJV, letterofintenttoformJVorJVagreement, | in accordancewithITB4.1. | |
| 4. In case of a government-owned entity, any additional documents not covered under 1 above required to complywith ITB4.5. | | |

Form ELI - 2: JV Information Sheet

Each member of a JV must fill in this form

| JV / Specialist Subcontractor Information | |
|--|--|
| Bidder's legal name | |
| JV Partner's or Subcontractor's legal name | |
| JV Partner's or | |
| Subcontractor's country of constitution | |
| JV Partner's or | |
| Subcontractor's year of constitution | |
| JV Partner's or | |
| Subcontractor's legal address in country of | |
| constitution | |
| JV Partner's or | |
| Subcontractor's authorized representative | |
| information (name, address, telephone | |
| numbers, fax numbers, e-mail address) | |
| Attached are copies of the following original documents. | |
| | |

- 1. articles of incorporation or constitution of the legal entity named above, in accordance with ITB 4.1 and 4.2.
- $2. \quad Authorization to represent the firm named above, in accordance with ITB. 2.$
- 3. In the case of government-owned entity, documents establishing legal and financial autonomy and compliance with commercial law, in accordance with ITB4.5.

Part - II REQUIREMENTS

Table of Clauses

| Section-V | WorksRequirements | 38 |
|---------------|--|----|
| ScopeofWor | k | 38 |
| Specification | S | 39 |
| Notes or | ntheSpecifications | 39 |
| Sample | Clause: Equivalency of StandardsandCodes | 40 |
| Drawings | | 41 |
| Supplementa | aryInformation | 42 |
| Section - VI | BillofQuantities | 43 |
| Notes fo | or UnitRate Contracts | 43 |
| Preamble of | Bill of Quantities | 45 |
| General | | 45 |
| Daywor | kSchedule | 46 |
| Provisio | nalSums | 47 |
| Bill of Ouan | tities | 48 |

SECTION - V

Works Requirements

This Section contains the Specification, the Drawings, and supplementary information that describe the Works to be procured.

Scope of Work

Chhapari Tourism Development & View Tower Construction ma na pa1

Mahakali Municipality, ward no.: 1

Specifications

Notes on the Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Employer without qualifying or conditioning their Bids. The specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is encouraged by the Funding Agency in case of funding assisted projects. Most specifications are normally written specially by the Employer or Project Manager to suit the Contract Works in hand. The available standard specification of works of Ministry of Physical Infrastructure and Transport, DoLIDAR and Other line Ministries can be adopted for respective civil construction works.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, however it may not necessarily be adequate to be used in a particular Works Contract and may necessitate preparation of Particular (Special) Specifications to amend and or supplement the provision of the General Specifications to meet the requirement of the particularWorks.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards of Nepal or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable.

Employers should decide whether technical solutions to specified parts of the Works are to be permitted. Alternatives are appropriate in cases where obvious (and potentially less costly) alternatives are possible to the technical solutions indicated in the Procurement Documents for certain elements of the Works, taking into consideration the comparative specialized advantage of potential bidders. For example:

The Employer should provide a description of the selected parts of the Works with appropriate references to Drawings, Specifications, Bill of Quantities, and Design or Performance criteria, stating that the alternative solutions if applicable shall be at least structurally and functionally equivalent to the basic design parameters and specifications.

Such alternative solutions shall be accompanied by all information necessary for a complete evaluation by the Employer, including drawings, design calculations, technical specifications, breakdown of prices,

proposed construction methodology, and other relevant details.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted subject to the Project Manager's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Project Manager at least 30 days prior to the date when the Contractor desires the Project Manager's consent. In the event the Project Manager determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents. These Notes for Preparing Specifications are intended only as information for the Employer or the person drafting the Procurement Documents. They should not be included in the final documents.

Specifications

1. General

The works covered by this technical specification shall comprise of general type of civil works.

2. Clearing of Site

The Contractor shall remove all trees, shrubs, bushes and vegetation standing above the ground surface. The root of all trees and other vegetation shall be removed as approved by the Engineer.

3. GroundLeveling

Thesiteoftheworksshallbelevelledbycuttingandfilling asthecasemayrequire. Theexactlocation and elevation of each of the wo

4. Materials

a. General

Materials used in the work shall be new and conforming to the qualities and kinds specified herein or equal to the approved samples. All materials used in the works should be in conformity practiced with relevant standard specification.

b. Inspection and Testing

All materials used in the works shall be subject to inspection and tested as the Engineer may direct from time to time as the work proceed. Only material, which the Engineer considers satisfactory, shall be used and materials condemned or not approved by the Engineer shall be removed from the works at the contractor's cost.

5. Cement

Quality and Type

The cement to be used in the Works shall be ordinary Portland cement. For the purposes of cement testing, the Site shall be deemed to have a tropical climate. Pozonala Portland cement with the certified Nepal Standard can also be used. However, the testing requirement shall be same as that of ordinary Portland cement.

Tests on Cement

Before any cement is ordered in quantity or brought on to the site, the Contractor shall submit to the Engineer a detailed list of the sources, country or countries of origin and manufacturer's brand names of the types of cement which he proposes to use.

The Contractor shall submit to the Engineer, without charge, test certificates relating to each consignment of cement. Each certificate shall show that a sample of the consignment has been tested by the manufacturer or by an approved laboratory and that it complies in all respects with the requirements of the TechnicalSpecifications.

The cement will be tested in accordance with and shall meet the requirements of the NS Code. When required by the Engineer the Contractor shall supply to the Engineer samples of cement taken on delivery to, or during storage on the Site, for testing at the Contractor's laboratory without extra charge.

No cement from any consignment shall be used without the approval of the Engineer and the Contractor shall maintain a record of the locations of the concrete made from each consignment which record shall be available for inspection by the Engineer. If for any reason the Contractor wishes to vary the source, country or manufacturer in respect of any type of cement at any time during the Contract, he shall give adequate notice of every such variation and shall carry out all tests called for by the Engineer on the proposed substitute cement, and shall obtain written approval of the variation before ordering any substitutematerial.

The Engineer may call for new tests, at the Contractor's expense, in particular if the cement has been stored for a long time, to check the cement is still conforming to the requirements.

Delivery and Storage of Cement

Cement shall be delivered to the site in properly sealed bags or other approved containers, stamped with date of delivery and marked sound. Cement from abroad, except from India, shall be packed in sealed plastic bags inside the paper bag. Cement shall be delivered in quantities sufficient to ensure the proper progress of the Works and the quantities held in stock on site shall be to the approval of the Engineer.

Each consignment of cement shall be stored separately so as to provide easy access for inspection and testing. After they have been approved by the Engineer, consignments shall be used in the order in which they were delivered. Any cement which shall prove to have been exposed to damage by water will be rejected upon delivery.

Cement delivered in bags shall be stored in a weatherproof, waterproof and reasonably airtight building provided solely for that purpose. The floors of the building shall be raised at least 30 cm above the ground level to prevent the absorption of moisture. It is not permitted to store bags to a greater height than 2 metres. Storage in the open may be permitted on small works by the written authority of the Engineer, in which case the cement shall be placed on a raised platform and amply protected by waterproof coverings to the approval of the Engineer.

Cement, when being conveyed to the site in lorries or other vehicles, shall be adequately protected from the weather and from contamination by dust, sand or any organic materials. In the case of delivery of cement in bulk, the cement shall be stored in a properly designed silo. The silo must be provided with walls properly insulated against sun radiation.

No cement shall be taken from the storage, unless it is needed for immediate use.

Cement Measured by Weight

All cement used in the Works shall be measured by weight. Cement from partly filled or unsealed bags shall not be used.

Rejection of Cement

Notwithstanding the receipt of the test certificate and the approval of the Engineer, the Engineer may reject any cement as a result of further tests on compressive strength and chemical composition. The Engineer may also reject cement which has deteriorated owing to inadequate protection or other causes, or in any other case where the cement is not to his satisfaction. Re-tests, if required, are at the Contractor's expense. The Contractor shall remove all rejected cement from the site without delay and at the Contractor's expense.

6. Aggregates

Supply and Classification

The Contractor shall make his own arrangements for procuring, crushing, grading and delivering aggregate for the Works, as required from sources to be approved by the Engineer. Separate fine and coarse aggregate shall be used for the manufacture of concrete. Aggregates shall be graded to produce a workable dense concrete.

(a) Course Aggregates

The term "coarse aggregate" is used to designate well graded aggregate mainly retained on a 5.00 mm, NS: 305-2050 or IS:460 test sieve and mainly passing a 40 mm, NS:305-2050 or IS:460 test sieve. Coarse aggregate shall be supplied in the following primary sizes:

| Size designation | Normal size range |
|------------------|-------------------|
| | |
| 10 mm | 5 mm to 10mm |
| 20 mm | 5 mm to 20mm |
| 40 mm | 5 mm to 40mm |
| | |

Coarse aggregate shall consist of natural gravel or crushed rock. Friable and flaky pieces such as mica and shale shall not be present. Coarse aggregates shall be well graded within grading given in Table 5.1 and to the satisfaction of the Engineer.

Table 5.1: Percentage by Weight Passing Standard Sieves

| Sieve Size (mm) | Size Designation | | |
|-----------------|------------------|---------------|---------------|
| | 5 mm to 10 mm | 5 mm to 20 mm | 5 mm to 40 mm |
| 50.0 | - | - | 100 |
| 37.5 | - | 100 | 95 - 100 |
| 20.0 | 100 | 95 - 100 | 37 - 70 |
| 10.0 | 85 - 100 | 30 - 60 | 10 - 40 |
| 5.0 | 0 - 25 | 0 - 10 | 0-5 |

The aggregate shall be free from adherent coatings and shall, if necessary, be washed for this purpose and shall be free from sulphates.

Clay or silt lumps shall not exceed 0.25 per cent and material passing a BS sieve No. 200 shall not exceed 1.0 per cent, both by weight. The content of coal and lignite shall not exceed 0.5 per cent by weight.

(b) Fine Aggregates

The term "fine aggregates" is used to designate aggregate mainly passing a 0.075 mm, NS:305-2050 or IS:460 test sieve and containing only that much coarser material as is permitted for the various grading zones.

Fine aggregate shall consist of natural sand, or a mixture of natural sand and crushed gravel or crushed rock. The aggregate shall not contain any flint, chirt or lime. The quantity of silt, clay and dust, determined in accordance with the decantation method given in NS:305-2050 or IS:460, shall not exceed 3% by weight of the sample. The content of mica shall not exceed 3% by weight of the sample. The aggregate shall not contain any deleterious material in such form or in sufficient quantity as to affect adversely the quality of concrete.

The Engineer shall permit the addition of crushed gravel or crushed rock fine aggregates to the natural sand only where, in his opinion, it is impracticable to obtain the required fine aggregate grading other than by such addition. The grading of the fine aggregates shall lie within one of the grading zones as set out in Table 5.2 and specified in BS882.

Quality

All aggregates to be used in concrete shall be clean, hard, dense, sound, chemically inert, or limited porosity and uncoated particles free from clayey or organic matter. Aggregates for concrete shall comply with related codes and the following:

- Grading: in accordance with Tables 5.1herein.
- Mechanical Properties: when tested, the "Ten per cent Fines Value" shall be not less than 50 KN.

- mica content test
- Silt, Clay and Dust Fraction: when determined in accordance with the decantation method given in BS 882:1992Fines.
- Water Absorption: when tested in accordance with BS 812 Part 2 the water absorption after 24 hours shall not exceed4%.
- Soundness: when tested in accordance with the sodium sulphate soundness test specified in ASTM C88 the aggregate shall have a percentage loss of less than 15.
- Alkali-Aggregate Reactivity: when tested in accordance with ASTM C 289 aggregates exhibiting evidence of alkali-aggregate reactivity will not be acceptable unless the Contractor can show that the proposed cement aggregate combination, when tested in accordance with ASTM C227 or other tests, will not produce deleterious alkali-aggregate reactivity, as to which the Engineer shall be the solejudge.
- Shrinkage: when determined in accordance with the BRE Digest 35 test the drying shrinkage shall not exceed 0.065%.
- Flaking Index shall not exceed 40.
- Elongation shall not exceed40.
- Aggregate Crushing Value (ACV) shall not be more than 30%.

Testing

Testing of aggregates is to be in accordance with NS:305-2050 or as specified herein. For each source of aggregate, and at least six weeks prior to the preparation of trial mixes, samples of aggregates together with the results of the test requirements shall be submitted to the Engineer for approval of the sources of aggregate and quality.

To check whether the aggregates contain lime, the particles shall be immersed in a 5 per cent HCL solution after crushing. The aggregate shall be rejected if the particles dissolve in the solution.

After approval has been given for any particular aggregate, a sample weighing at least 50 kg of the approved aggregate shall be retained by the Engineer as a standard against which all future samples can be compared.

Approval of a source of aggregate by the Engineer shall not be construed as constituting the approval of all materials to be taken from that source, and the Contractor shall be responsible for the specified quality of all such materials used in the Works. The Contractor shall not obtain aggregates from sources which have not been approved by the Engineer.

During the course of the Contract, the Contractor shall supply to the Engineer samples of aggregates taken in accordance with NS 305/IS 383 at a frequency of at least once a week, or as directed by the Engineer from each aggregate stockpile. The samples shall be delivered to the Site laboratory for testing under the supervision of the Engineer.

If the routine tests carried out by the Engineer show the aggregate to be not to the same standard as originally approved, then subsequent testing to obtain acceptable aggregates shall be undertaken by the Contractor at his own cost.

Washing and Screening

Aggregates shall be washed and screened as necessary, to produce aggregates meeting the specified requirements. All such washing and screening shall be to the satisfaction of the Engineer.

Storage

Aggregates shall be stored in separate stockpiles in such a manner that the intermingling of materials from separate stockpiles or bins is not possible, and so as to prevent contamination by mud, rubbish, windblown dust or vegetation. Aggregate stockpiles shall be provided with adequate drainage to ensure rapid drainage of the aggregates. The storage arrangements shall be to the approval of the Engineer.

7. Water

Water for concrete, mortar and curing shall be subjected to the approval of the Engineer. It shall be clean, fresh and free oil, acid, alkali etc.

Water used in mixing and curing of concrete shall be subject to approval, and shall be reasonably clean and free of oil, salt, acid, alkali, sugar, vegetable or other substances injurious to the finished project.

In no case shall the water contain an amount of impurities which will cause a change in the time of initial or final set of the cement of more than 30 minutes, nor a reduction in the compressive strength of mortar of more than 10 per cent at any time of testing, when compared to the results obtained with distilled water.

The Contractor shall deliver to the Engineer, without charge, samples of the water proposed for use in the Works, for the Engineer to carry out such tests as he may require to confirm its suitability. Samples will be delivered sufficiently in advance of the Works for completion of the tests before the water is required for use, and at such other times during the course of the Contract as the Engineer may direct. If required by the Engineer, the Contractor shall, without extra charge, treat the water taken from any other source to such a degree as may be necessary inorder to render it suitable for mixing andmortar.

8. Reinforcement Steel

Material and Tests

Reinforcement steel shall include the steel bars in reinforced concrete structures as well as the steel bar supports, and shall be laid in accordance with the approved Drawings.

The bars shall be from new stock. A cross section of any bar to be delivered shall be of the exact shape and have the specified diameter at any point of the bar.

When required by the Engineer, the Contractor shall submit three copies of mild sheets of steel bars for the approval of the Engineer before each transportation and inspection at site will be made by the Engineer in accordance with the Specifications.

The Contractor shall prepare test specimens of steel reinforcement to be used in the works. Test specimens shall be taken in the presence of the Engineer and shall be of a size sufficient to carry out the specifiedtest.

The test specimens shall be tested in an approved laboratory and the certified copies of the results of the tests shall be submitted to the Engineer. The specimen shall be tested for bending and tensile properties. The methods and requirements for testing shall be carried out in accordance with the applicable specifications of NS-333-2050.

If necessary, other equivalent National Standards may be substituted after obtaining the approval of the Engineer.

If ordered by the Engineer, test procedures shall be repeated at the Contractor's own expense for any new supply of steel reinforcement.

Storage of Steel Reinforcement

Steel reinforcement shall be stored above the ground on platforms, skids or other approved supports, and shall be protected from mechanical injury and surface deterioration caused by exposure to conditions producing rust.

Different types and dimensions of reinforcement shall be kept separately.

Bending of Steel Reinforcement

Steel reinforcement shall be cut from straight bars, free from kinks and bends or other damage, and bent cold by experienced competent workmen. Bar diameters greater than 19 mm shall be bent in a bending machine designed for the purpose and approved by the Engineer. Any steel that has already been bent shall not be re-bent at the place of the previously made bend.

Placing Reinforcement Steel

The number, size, form and position of all reinforcement steel bars, fabric, ties, links, stirrups and other parts of the reinforcement shall be placed in exact position in accordance with the Drawings and kept in the correct position in the forms without displacement during the process of vibrating, tamping and ramming the concrete in place. The Contractor shall provide all necessary distance pieces and space bars at his own cost to maintain the reinforcement in the correct position.

Any ties, links or stirrups connecting the bars shall be taut, so that the bars are properly braced, the inside of their curved parts shall be in actual contact with the bars around which they are intended to fit. The free ends of the binding wire shall be bent inwards.

Before any steel reinforcement is embedded in the concrete, any scale, loose rust, oil, grease or other deleterious matter shall be removed. Partially set concrete which may have adhered to the exposed bars during concreting operations shall likewise be removed.

When the reinforcement has been placed and is ready for concreting, it will be inspected by the Engineer, and no concrete shall be placed until the reinforcement has been approved by him. The Contractor shall inform the Engineer at least 24 hours in advance of his intention to have the reinforcement ready for inspection.

Cover to Reinforcement Steel

The concrete cover to reinforcement shall be as shown on the Drawings, or as directed by the Engineer. Unless otherwise specified on the Drawings, the concrete cover on the steel reinforcement shall be at least 37 mm, if the concrete is subject to exposure to soil or water. In other cases, a cover of 25 mm shall be acceptable.

The Contractor shall provide any necessary cement pads for ensuring that the cover is attained, and in no case may the use of pebble, pieces of broken stone or brick, or other packing materials be permitted.

9. Earth work excavation

All trees, bushes, stumps, roots and rubbish shall be removed from the area designated by the Engineer for earthwork. All the cleared material shall be disposed of in designated areas only.

No extra payment shall be made on account of above items unless and otherwise specified.

The distribution of materials shall be such that the compacted material will be homogeneous and free from loose pocket streaks, or other imperfections. The excavation and placing operations shall be such that materials when compacted will be blended sufficiently to secure the best practicable degree of compaction impermeability and stability.

Back filling shall unless otherwise specified be carried out with approved materials and shall be well compacted in 15cm layers to the satisfaction of the Engineer.

10. Concrete works

Concrete

Concrete shall consist of cement, graded aggregate and water thoroughly mixed and compacted to provide strength as detailed below or as directed by the Engineer or as specified in the approved drawings.

| Mix. Proportion Cement/Sand/Coarse | Minimum Compressive Strength of |
|------------------------------------|---------------------------------|
| Aggregate | Concrete after 28 days |
| 1:2:4 | 150kg/cm ² |
| 1:1.5:3 | 200kg/cm ² |
| 1:3:6 | 100kg/cm ² |

The proportion shown in the table above is given, as a guide to mix ordinary needed to achieve the specified strength. The Contractor shall have to perform mix design for particular batch of cement and aggregate to achieve the required strength for important concrete works if required by the Engineer.

Machine Mixing

The materials for concrete shall be mixed in an approved mechanical mixer. The mixing time for each batch shall be about 3 minutes. The mixer shall not be loaded beyond their rated capacity nor shall be operated as a speed in excess of that recommended by the manufacturer. All mixing equipment shall be cleaned before commencing mixing and shall be kept free from set concrete. Mixed concrete shall be unloaded on impervious platform.

Hand Mixing

Where it is not possible to employ machine mixing and approval has been obtained from the Engineer, concrete shall be mixed by hand as near as practicable to the site where it is to be placed. Clean mixing platforms of sufficient areas for the proper execution of the work shall be provided. Cement and sand shall first be mixed dry on the platform and then dry mix shall be spread over the coarse aggregate uniformly and the hold mass shall then be mixed thoroughly turning over backwards and forwards. The water shall be entirely turned over in a wet state at least three times before being placed insite.

Placing and Compaction

Preparatory Works

The Engineer's approval in writing shall always be obtained before any concrete is placed in the Works.

The formwork or area of disposition shall be cleaned as specified in Sub-Clause Formwork.

All construction equipment and materials required, or which may be required, during the concreting work and for cooling and curing, shall be on site and fully prepared for the work. The Engineer's approval to place concrete will only be given after all these preparations and other relevant requirements of the Technical Specifications have been carried out and complied with.

If concreting is to be executed at night or when otherwise daylight is not sufficient, the Contractor shall provide for sufficient lamps on site so that all elements of the site relevant for the concreting will be clearly visible.

The Engineer may forbid altogether the placing of concrete in any formwork which he judges has become too hot and/or dry and that concrete members cannot be satisfactorily produced there from.

Compaction of Concrete

All concrete shall be thoroughly compacted immediately after deposition to expel air and to ensure the concrete is in full contact with all contained and embedded surfaces. Vibrators shall be used for compacting, unless otherwise specified or ordered by the Engineer. The type of vibrator to be used is subject to the approval of the Engineer. Vibrators of the immersion type shall have a frequency of 5,000 - 8,000 vibrations per minute for concrete with a slump of more than 80 mm and a frequency of 9,000 - 12,000 vibrations per minute for concrete with a slump less or equal to 80 mm. The Contractor shall provide a sufficient number of vibrators to properly compact each batch immediately after it is placed in the formwork.

Vibrators shall not be allowed to come into contact with the reinforcement or formwork and great care shall be taken to avoid over-vibration causing segregation or pockets in the finished mass. All personnel handling vibrators shall be trained in their proper use.

Curing of Concrete

Until a period of 7 days has elapsed from the time of placing the concrete, it shall be kept protected against loss of moisture, rapid temperature change, rain and flowing water, mechanical injury and contamination by airborne dust and/or sand. All methods to be used for curing and protection of freshly placed concrete shall be subject to the prior approval of the Engineer. These methods shall include the use of curing membranes, watering, damp covers, shades and/or any other precautions that the Engineer may require.

Curing membranes shall be sprayed on the surface of the concrete as soon as all free water has evaporated from the surface. In the case of forms that have been eased or struck before 7 days have elapsed from the date of placing concrete, the curing membranes shall be applied immediately after the shutter has been removed.

In the case rain falls on the newly coated concrete before the film has dried sufficiently to resist damage, or if the film is damaged in any other manner, a new coat of the solution shall be applied to the affected portions.

The Contractor shall submit details of the curing procedure he proposes to use, to the Engineer for his approval.

During very hot weather conditions, the Contractor may be required to cool and/or wet formwork containing concrete by spraying with water and this shall be carried out where directed notwithstanding and whatever other measures the Contractor may employ for the curing of the concrete.

All materials spray equipment and an ample supply of water for curing shall be ready on site before any concreting starts.

The Contractor may submit for the Engineer's consideration alternative methods of curing which will achieve a result at least as good as those specified, and the Engineer shall approve or reject such alternative methods without any reason being given. Concrete that is, in the opinion of the Engineer, not cured according to the approved curing procedure will be regarded as inferior

Faulty Work

Any portion of the work which is honeycombed or otherwise inferior shall, on the written instruction of the Engineer, immediately be cut out and reconstructed in an approved manner without extra charge. Plastering of defective Works shall not be permitted.

11. Form Work

General

Formwork shall include all temporary moulds for forming the concrete, including the 'herring bone' steel, together with all temporary structures required to support such moulds.

The Contractor shall submit drawings and calculations showing details of the formwork he intends to use, to the Engineer for approval. The drawings and calculations shall be in accordance with the provisions stipulated in Sub-Clause 1.04.3 of these Technical Specifications.

The drawings shall show the materials proposed and indicate details of construction, such as sizes of members and spacing, and position of waling, struts, bolts and wedges.

Formwork shall not be constructed until the drawings and the calculations, if applicable, have been approved by the Engineer. Such approval shall not relieve the Contractor of the responsibility for the sufficiency of the formwork. Any changes or modifications to the formwork required by the Engineer shall be borne by the Contractor.

Formwork shall be of suitable design and substantial construction to carry the loads resulting from placing and vibrating wet concrete and any incidental loads such as construction loads, wind and other forces, without inadmissible bulging, distortion or deflection.

Formwork shall be sufficiently tight to prevent loss of water or mortar from the concrete. Special attention shall be paid to formwork where pokers or shutter vibrators are to be used.

Materials for Formwork

Formwork for the concrete structures shall be made from timber or plywood or steel.

The timber or plywood shall be resistant to deterioration by water and shall be fixed and jointed in such a manner as to give a perfectly smooth and even finish to the concrete. It shall have a thickness of not less than 17.5 mm.

The steel formwork shall be accurately aligned and with close fitting joints. The outside of the steel formwork shall be painted in a light color to prevent extreme temperatures due to solar radiation.

Only with the approval of the Engineer can formwork be made from good quality seasoned timber, free from loose knots, shakes and warped surfaces.

This timber shall not be less than 30 mm in thickness and the board faces in contact with concrete and the board edges shall be planed smooth and joints shall be tongued and grooved.

The Contractor shall submit to the Engineer, before commencing construction, a set of forms complying with the above requirements, but such submission to the Engineer or approval by him shall not relieve the Contractor of any of his responsibilities under the Contract for the successful completion of the structure.

Fixing of Formwork

Formwork shall be fixed in perfect line and true plane, with no crevices and joints, and shall be securely braced, supported and wedged so as to retain its position without displacement or deflection during the placing and compaction of the concrete.

Joints in formwork shall be made so that no leakage of grout can occur from the concrete. All joints shall be either horizontal or vertical, unless the form of the finished concrete requires them to be otherwise. Chamfers measuring 30 mm by 30 mm are to be made to all exposed edges of concrete, unless otherwise indicated in the Technical Specifications or ordered by the Engineer.

Subject to the approval of the Engineer, internal ties may be used. All such fastening shall be so arranged that when the forms are removed, no metal left permanently in the work shall be within 50 mm of any surface.

Dimensional Tolerances

Any deviation on the minus side in measurements of the finished concrete works is not permitted.

Unless specifically indicated on the duly approved Drawings, tolerances on the plus side can only be accepted up to a range of 4% at the most with a maximum of 5 mm.

Cleaning and Re-using of Shuttering

Before any concrete is placed, the forms shall be properly cleaned and washed out with water and air under pressure to remove saw-dust, shavings and all other foreign matter. All water shall then be trained and mopped out from the formwork.

If side forms are to be re-used, all surfaces shall be cleaned and shall be completely free from remains of concrete or mortar.

If, in the opinion of the Engineer, moulds are not acceptable for re-use, they shall be either properly repaired or be substituted by other moulds. Substituting moulds shall comply with the requirements as specified above.

Removal of Forms

Forms shall be removed only under skilled supervision and in such a manner as to not damage the concrete. Forms shall not be removed before the concrete is sufficiently set and hardened. Nevertheless, the forms shall not be struck without the prior approval of the Engineer. The minimum periods which shall elapse between placing concrete and the removal of the forms are given in Table 5.8.

Table 5.8: Removal of Forms

| Type of form | nwork | Minimum net period before removal in days |
|--------------|-------------------|---|
| Vertical: | Columns and walls | 2 |
| Soffit: | Slabs | 5 |
| | Beams | 8 |
| | | |
| Drops : | Slab | 16 |
| | Beams | 18 |
| | | |

Compliance with the above requirements shall not relieve the Contractor of his obligation to delay the removal of the forms if the concrete has not sufficiently set. Due to variations in site temperatures and depending on the curing conditions, the Engineer may, at his discretion, vary the time listed above.

Any damage to the concrete, which may occur by the removal of the forms or by overloading, shall be fixed at the Contractor's expense and to the satisfaction of the Engineer.

12. Storage of Materials

| Materials shall be stored so as to ensure preservation of their specified quality and fitness for the work. They shall be placed on hard, clean surface, and when required, they shall be placed under cover as approved by the Engineer. Stored materials shall be located so as to facilitate prompt inspection. Private property shall not be used for storage purposes without the written permission of the owner or lessees and payment to him it necessary. |
|--|
| The stockpile site shall be prepared by clearing and leveling as approved by the Engineer. |
| Aggregate storage piles shall be built up and removed in lays not exceeding 1m. All height of such stockpiles shall be limited to 5.0m the center the storage areas shall be raised and sloped to the sides, as required to provide proper drainage of excess moisture, the materials shall be stored in such as manner as to preven segregation and to ensure proper gradation and moisture content. |

The cost of providing for storage of materials shall be included in the prices tendered for the various items of the Bill of Quantities for which storage of materials is required and no separate payment will be made thereof.

13. Measurement and

Payment Measurement

The items as set out in the Bill Quantities are understood to be full compensation for the preparation of working drawings for the civil Engineering works and conforming to the requirements for the equipment and drawings as set out in the specification, conditions of contract, information and instruction, drawings, schedules and appendices submitted with the Tender Document.

Field Measurement for Payments

- ☐ The Engineer will compute for payment purpose all quantities of work performed by the contractor or of materials and equipment delivered to the site.
- The Contractor shall assist the Engineer in the taking of measurement by providing all equipment's and workers as required to measure quantities in accordance with the provision for measurement specified herein.
- □ All measurement services required of the Contractor, as specified shall be performed under the direction and supervision of the Engineer.

14. Rejected Materials

Quantities of material wasted or disposed of in a manner not called for under the contract: rejected loads of material, including material rejected after it has been placed by reasons of the failure of the Contractor to conform to the provisions of the contract; materials not unloaded from the transporting vehicle; or material placed outside the hues; indicated on the contract Drawing's or established by the Engineer's or material remaining on hand after completion of the Work; will not be paid for, and such quantities shall not be included in the final total quantities. No compensation will be permitted or loading, hauling and disposing of rejected materials.

Separate measurement of payment will not be made for work required under this section. All costs in connection with the related item of work in the Bill of Quantities incidental to the Project.

SECTION - VI

Bill of Quantities²

Notes for Unit Rate Contracts:

Objectives

The objectives of the Bill of Quantities are

- (a) toprovidesufficientinformationonthequantitiesofWorkstobeperformedtoenableBidstobe prepared efficiently and accurately; and
- (b) when a Contracthasbeenenteredinto, toprovide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail

istinguishbetweenthedifferentclassesofWorks,orbetweenWorksofthesamenaturecarriedoutin differentlocationsorinothercircumstanceswhichmaygiverisetodifferentconsiderationsofcost. Consistentwiththeserequirements,thelayoutandcontentoftheBillofQuantitiesshouldbeassimple and brief as possible.

Content

The Bill of Quantities should be divided generally into the following sections:

- (a) Preamble;
- (b) WorkItems(groupedintoparts);
- (c) Day worksSchedule;
- d) Provisional Sums; and
- (d) Summary.

Preamble

The Preamble should indicate the inclusiveness of the unit prices, and should state the methods of measurement which have been adopted in the preparation of the Bill of Quantities and which are to be used for the measurement of any part of the works.

Work Items

TheitemsintheBillofQuantitiesshouldbegroupedintosectionstodistinguishbetweenthosepartsof theWorkswhichbynature,location,access,timing,oranyotherspecialcharacteristicsmaygiveriseto differentmethodsofconstruction,orphasingoftheWorks,orconsiderationsofcost.Generalitems commontoallpartsoftheworksmaybegroupedasaseparatesectionintheBillofQuantities.

Day work Schedule

ADayworkScheduleshouldbeincludedonlyiftheprobabilityofunforeseenwork,outsidetheitems includedintheBillofQuantities,ishigh.TofacilitatecheckingbytheEmployeroftherealismofrates quotedbytheBidders,theDayworkScheduleshouldnormallycomprisethefollowing:

²In lump sum contracts, delete "Bill of Quantities" and replace with "Schedule of Activities" throughout this section.

- (a) Alistofthevariousclassesoflabor, materials, and Constructional Plantforwhich basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- (b) Nominalquantities for each item of Daywork, to be priced by each Bidder at Daywork rates as bid. The rate to be entered by the Bidder against each basic Day work item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional suminthe Summary Billof Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional suminthe Summary Billof Quantities. The inclusion of such provisional sums of ten facilitates budget ary approval by a voiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the Contract Datashould state the manner in which they will be used, and under whose authority (usually the Project Manager's).

Summary

The Summary should contain a tabulation of these parate parts of the Bill of Quantities carried forward, with provisional sums for Daywork, for physical (quantity) contingencies, and for price contingencies (upward price adjustment) where applicable.

TheseNotesforPreparingSpecificationsareintendedonlyasinformationfortheEmployerorthe persondraftingtheBiddingdocuments. Theyshouldnotbeincludedinthefinaldocuments.

Preamble of Bill of Quantities

A. General

- 1. The Bill of Quantities shall be read in conjunction with the Instructions to Bidders, General and Special Conditions of Contract, Technical Specifications, and Drawings.
- 2. The quantities given in the Bill of Quantities are estimated and provisional, and are given to provide a common basis for bidding. The basis of payment will be the actual quantities of work ordered and carried out, as measured by the Contractor and verified by the Project Manager and valued at the rates and prices bid in the priced Bill of Quantities, where applicable, and otherwise at such rates and prices as the Project Manager may fix within the terms of the Contract.
- 3. For any item for which measurement is based on records made before or during construction the records shall be prepared and agreed between the Engineer and the Contractor. Should the Contractor carry out such work without the prior agreement of the Engineer, the Engineer may request the Contractor to carry out investigations to confirm the extent of the work and the quantity of work certified for payment shall besolelyattheEngineer'sdiscretion.ThecostofanysuchinvestigationshallbebornebytheContractor.
- 4. The rates and prices bid in the priced Bill of Quantities shall, except as otherwise provided under the Contract, include all construction equipment, labor, supervision, materials, erection, maintenance, insurance, profit, taxes, and duties, together with all general risks, liabilities, and obligations set out or implied in the Contract.
- 5. A rate or price shall be entered against each item in the priced Bill of Quantities, whether quantities are stated or not. The cost of items against which the Contractor has failed to enter a rate or price shall be deemed to be covered by other rates and prices entered in the Bill of Quantities.
- 6. The whole cost of complying with the provisions of the Contract shall be included in the Items provided in the priced Bill of Quantities, and where no Items are provided, the cost shall be deemedtobedistributedamongtheratesandpricesenteredfortherelatedItemsofWork.
- 7. General directions and descriptions of work and materials are not necessarily repeated nor summarized in the Bill of Quantities. References to the relevant sections of the Contract documentation shall be made before entering prices against each item in the priced Bill of Quantities. The Specification Clause references where given in the item description of the Bills of Quantities are for the convenience of bidders and generally refer to the principal relevant- specification clause but do not necessarily represent the whole of the specification requirements for the work required withinthe item. The presence of a Specification clause reference shall not in anyway reduce the Bidders obligation to complete work in accordance with all the requirements of the Specification.
- 8. Provisional Sums included and so designated in the Bill of Quantities shall be expended in whole or in part at the direction and discretion of the Project Manager in accordance with the Conditions of Contract.
- 9. The method of measurement of completed work for payment shall be in accordance with the Specifications.

10. The abbreviations and symbols used in this Bill of Quantities are:

LS = Lumpsump RM = Running Meter Kg = Kilogram Nos. = Numbers

B. Day workSchedule

a) General

1. Work shall not be executed on a day work basis except by written order of the Project Manager. Bidders shall enter basic rates for day work items in the Schedules. These rates shall apply to any quantity of day work ordered by the Project Manager. Nominal quantities have been indicated against each item of day work, and the extended total for day work shall, be carried forward as a Provisional Sum to the Summary Total Bid Amount. Unless otherwise adjusted, payments for day work shall be subject to price adjustment in accordance with the provisions in the Conditions of Contract.

b) Day workLabor

- 1. In calculating payments due to the Contractor for the execution of day works, the hours for labor will be reckoned from the time of arrival of the labor at the job site to execute the particular item of day work to the time of departure from the job site, but excluding meal breaks and rest periods. Only the time of classes of labor directly doing work ordered by the Project Manager and are competent to perform such work will be measured. The time of gangers (charge hands) actually doing work with the gangs will also be measured but not the time of foremen or other supervisory personnel.
- 2. TheContractorshallbeentitledtopayment inrespectofthetotal time that laborisemployedondaywork, calculated at the basis rates entered by it in the "SCHEDULE OF DAY WORK RATES: 1. LABOR". The rates for labor shall be deemed to cover all costs to the Contractor including (but not limited to) i) the amount of wages paid to such labor, transportation time, overtime, subsistence allowances, ii) any sums paid to or on behalf of such labor for social benefits in accordance with Nepal law, iii) Contractor's profit, overheads, superintendence, liabilities and insurance and iv) charges incidental to theforegoing.

c) Day workEquipment

- 1. The Contractor shall be entitled to payments in respect of Constructional Plant already on site and employed on day work at the basis rental rates entered by him in the "SCHEDULE OF DAY WORK RATES:2 EQUIPMENT". The said rates shall be deemed to include due and complete allowance for depreciation, interest, indemnity and insurance, repairs, maintenance, supplies, fuel, lubricant, and other consumables and all overhead, profit and administrative costs related to the use of such equipment. The cost of drivers, operators and assistants also shall be included in the rate of the equipment and no separately payment shall be made forit.
- 2. In calculating the payment due to the Contractor for Constructional Plant employed on day work, only the actual number of working hours will be eligible for payment, except that where applicable and agreed with the Project Manager, the travelling time from the part of the Site where the Construction Plant was located when orderedbytheProjectManagertobe employedondayworkandthetime forreturnjourneythereto shall be included forpayment.

d) Day workMaterials

1. The Contractor shall be entitled to payment in respect of materials used for day work (except for materials for which the cost is included in the percentage addition to labor costs as detailed heretofore), at the rates enteredbyhim inthe "SCHEDULEOFDAYWORKRATES:3MATERIALS" and shall be deemed to

include overhead charges and profit as follows;

- (i) the rates for materials shall be calculated on the basis of the invoiced price, freight, insurance, handling expenses, damage, losses, etc. and shall provide for delivery to store for stockpiling at the Site.
- (ii) the cost of hauling materials for use on work ordered to be carried out as day work, from the store or stockpileontheSitetotheplacewhereitistobeusedalsoshallbeincludeinthe samerate.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the ProjectManager's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Employer to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum shouldbe followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Bill of Quantities

CONDITIONS OF CONTRACT AND CONTRACT FORMS

Table of Clauses

| A. | General 54 | |
|----|---|------------|
| 1. | Definitions | 72 |
| 2. | Interpretation | 55 |
| 3. | LanguageandLaw | 56 |
| 4. | ContractAgreement | 56 |
| 5. | Assignment | 56 |
| 6. | Care and SupplyofDocuments | 56 |
| 7. | Confidential Details | 57 |
| 8. | CompliancewithLaws | 57 |
| 9. | Joint and Several Liability | 57 |
| 10 | D. ProjectManager'sDecisions | 57 |
| 11 | . Delegation | . 58 |
| 12 | 2. Communications | . 58 |
| 13 | 3. Subcontracting | . 58 |
| 14 | LOtherContractors | . 58 |
| 15 | PersonnelandEquipment | . 58 |
| 16 | 5. Employer's andContractor'sRisk | . 58 |
| 17 | ⁷ . Employer'sRisks | . 58 |
| 18 | 3. Contractor'sRisks | 59 |
| |). Insurance | |
| 20 | o. SiteInvestigationReports | 60 |
| 21 | . Contractor to ConstructtheWorks | 60 |
| 22 | 2. TheWorkstoBeCompletedwithinintendedCompletionDate | 60 |
| | 3. DesignbycontractorandApprovalbytheProjectManager | |
| | 4. Safety, Security and Protection of the Environment | |
| | 5. Discoveries | |
| 26 | 6. Possession oftheSite | . 61 |
| 27 | 7. Access totheSite | . 61 |
| 28 | 3. Instructions, InspectionsandAudits | . 61 |
| | 9. DisputeSettlement | |
| 30 | o. ProceduresforDisputes | . 62 |
| | taffandLabor | |
| | | <i>(</i> - |
| _ | I. ForcedLabor | |
| | 2. ChildLabor | - |
| | 3. Nondiscrimination and Equal Opportunity | |
| В. | TimeControl | |
| 34 | 1. Program | . 62 |
| | 5. Extension of theIntendedCompletionDate | |
| | 6. Acceleration | |
| | 7. Delays Ordered by theProjectManager | |
| | B. ManagementMeetings | |
| | 9. EarlyWarning | |
| | OualityControl82 | |
| • | • | |
| • | D.IdentifyingDefects | |
| 41 | ı. Tests | . 82 |

| 42. Correctionof Defects | 82 |
|--|-----|
| 43. UncorrectedDefects | 82 |
| D. CostControl | .82 |
| 44. ContractPrice | |
| 45. Changes in the Contract Price | 82 |
| 46. Variations | 83 |
| 47. CashFlowForecasts | 83 |
| 48. Payment Certificates | 83 |
| 49. Payments | 84 |
| 50. CompensationEvents | 84 |
| 51. Tax | 85 |
| 52. Currency | 85 |
| 53. PriceAdjustment | 85 |
| 54. Retention | 87 |
| 55. LiquidatedDamages | 88 |
| 56. Bonus | |
| 57. AdvancePayment | 88 |
| 58. Securities | 88 |
| 59. Dayworks | 89 |
| 60. CostofRepairs | 89 |
| F. ForceMajeure | .89 |
| 61. Definition ofForceMajeure | 89 |
| 62. Notice ofForceMajeure | 90 |
| 63. Duty toMinimizeDelay | 90 |
| 64. Consequences of Force Majeure | 90 |
| 65. Force MajeureAffectingSubcontractor | 91 |
| 66. Optional Termination, PaymentandRelease | 91 |
| 67. ReleasefromPerformance | 91 |
| G. FinishingtheContract | .92 |
| 68. Completion | 92 |
| 69. TakingOver | 92 |
| 70. FinalAccount | 92 |
| 71. Operating andMaintenanceManuals | 92 |
| 72. Termination | 92 |
| 73. FraudandCorruption | |
| 74. BlackListing | 94 |
| 75. PaymentuponTermination | 94 |
| 76. Property | |
| 77. ReleasefromPerformance | 95 |
| 78. Suspension of DPLoan/Credit/Grant | 95 |
| 79. Eligibility | 95 |
| 80. Project Manager's DutiesandAuthorities | 95 |
| 81. Quarries and Spoil Dumps | |
| 82. LocalTaxation | |
| 83. ValueAddedTax | 96 |
| 84. Income TaxesonStaff | |
| 85. Duties, TaxesandRoyalties | |
| 86. Member of Government, etc, notPersonallyLiable | 96 |
| | |

| 87. Approval of UseofExplosives | 97 |
|--|----|
| 88. CompliancewithRegulationsforExplosives | |
| 89. PermissionforBlasting | |
| 90. RecordsofExplosives | |
| 91. TrafficDiversion | |

Section VII: General Conditions of Contract

General Conditions of Contract

General

1. Definitions

- 1.1 Boldface type is used to identify defined terms.
 - (a) The **Accepted Contract Amount** means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of anydefects.
 - (b) The **Activity Schedule** is a schedule of the activities comprising the construction, installation, testing, and commissioning of the Works in a lump sum contract. It includes a lump sum price for each activity, which is used for valuations and for assessing the effects of Variations and CompensationEvents.
 - (c) The Adjudicator is the person appointed jointly by the Employer and the Contractor to resolve disputes in the first instance, as provided for in GCC 23.2 hereunder.
 - (d) **Bill of Quantities** means the priced and completed Bill of Quantities forming part of theBid.
 - (e) **Compensation Events** are those defined in GCC 50hereunder.
 - (f) The **Completion Date** is the date of completion of the Works as certified by the Project Manager, in accordance with GCC68.1.
 - (g) The **Contract** is the Contract between the Employer and the Contractor to execute, complete, and maintain the Works. It consists of the documents listed in GCC 2.3 below.
 - (h) The **Contractor** is the party whose Bid to carry out the Works has been accepted by the Employer.
 - (i) The **Contractor's Bid** is the completed bidding document submitted by the Contractor to the Employer.
 - (j) The **Contract Price** is the Accepted Contract Amount stated in the Letter of Acceptanceandthereafterasadjustedin accordancewiththe Contract.
 - (k) **Days** are calendar days; months are calendar-months.
 - (1) **Dayworks** are varied work inputs subject to payment on a time basis for the Contractor's employees and Equipment, in addition to payments for associated Materials and Plant.
 - (m) A **Defect** is any part of the Works not completed in accordance with the Contract.
 - (n) The **Defects Liability Certificate** is the certificate issued by Project Manager upon correction of defects by the Contractor.
 - (o) The **Defects Liability Period** is the period calculated from the Completion Date where the Contractor remains responsible for remedying defects.
 - (p) **Drawings** include calculations and other information provided or approved by the Project Manager for the execution of the Contract.
 - (q) The **Employer** is the party who employs the Contractor to carry out the Works, as **specified in the SCC**.
 - (r) **Equipment** is the Contractor's machinery and vehicles brought temporarily to the Site to construct the Works.
 - (s) **Force Majeure** means an exceptional event or circumstance: which is beyond a Party's control; which such Party could not reasonably have provided against before entering into the Contract; which, having a risen, such Party could not reasonably have

avoided or overcome; and, which is not substantially attributable to the other Party.

- (t) The **Initial Contract Price** is the Contract Price listed in the Employer's Letter of Acceptance.
- (u) **In writing** or **written** means hand written, type written, printed or electronically made, and resulting in permanentrecord.
- (v) The **Intended Completion Date** is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is **specified in the SCC**. The Intended Completion Date may be revised only by the Project Managerbyissuinganextensionoftimeoranaccelerationorder.
- (w) **Letter of Acceptance** means the formal acceptance by the Employer of the Bid anddenotestheformation of the contractathedateofacceptance.
- (x) **Materials** are all supplies, including consumables, used by the Contractor for incorporation in the Works.
- (y) **Party** means the Employer or the Contractor, as the contextrequires.
- (z) SCC means Special Conditions of Contract
- (aa) **Plant** is any integral part of the Works that shall have a mechanical, electrical, chemical, or biologicalfunction.
- (bb) The **Project Manager** is the person **named in the SCC** (or any other competent person appointed by the Employer and notified to the Contractor, to act in replacement of the Project Manager) who is responsible for supervising the execution of the Works and administering the Contract.
- (cc) **Retention Money** means the aggregate of all monies retained by the Employer pursuant to GCC 54.1.
- (dd) **Schedules** means the document(s) entitled schedules, completed by the Contractor and submitted with the Letter of Bids, as included in the Contract. Such document may include the Bill of Quantities, data, lists, and schedules of rates and/or prices.
- (ee) The **Site** is the area defined as such in the SCC
- (ff) **SiteInvestigationReports** are those that were included in the bidding documents and are factual and interpretative reports about the surface and subsurface conditions at the Site.
- (gg) **Specification** means the Specification of the Works included in the Contract and any modification or addition made or approved by the Project Manager.
- (hh) The **Start Date** is given in **the SCC**. It is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with any of the Site Possession Dates.
- (ii) A **Subcontractor** is a person or corporate body who has a Contract with the Contractor to carry out a part of the work in the Contract, which includes work on the Site
- (jj) **Temporary Works** are works designed, constructed, installed, and removed by the Contractor that are needed for construction or installation of the Works.
- (kk) A Variation is an instruction given by the Project Manager which varies the Works
- (ll) The **Works** are what the Contract requires the Contractor to construct, install, and turn over to the Employer, as **defined in the SCC**.

2. Interpretation

2.1IninterpretingtheseGCC, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning under the language of the Contract unless specifically

| | defined. The Project Manager shall provide instructions clarifying queries | |
|--------------------------|---|--|
| | about these GCC. | |
| | 2.2 Ifsectionalcompletionis specifiedintheSCC ,referencesintheGCCtothe Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and IntendedCompletion DateforthewholeoftheWorks). | |
| | 2.3 ThedocumentsformingtheContractshallbeinterpretedinthefollowingorderof priority: | |
| | (a) ContractAgreement, | |
| | (b) LetterofAcceptance, | |
| | (c) Letters ofBid, | |
| | (d) Special Conditions of Contract, | |
| | (e) General Conditions ofContract, | |
| | (f) Specifications, | |
| | (g) Drawings, | |
| | (h) BillofQuantities(orSchedulesofPricesforlumpsumcontracts),and | |
| | (i) Anyotherdocument listed in the SCC as forming part of the Contract. | |
| 3. Language and Law | ${\it 3.1} The language of the Contract and the law governing the Contract are {\bf stated in the SCC}.$ | |
| | a. ThroughouttheexecutionoftheContract,theContractorshallcomplywiththe importofgoodsandservicesprohibitionsintheEmployer'scountrywhen | |
| | (a) by an act of compliance with a decision of the United Nations Security CounciltakenunderChapterVIIoftheCharteroftheUnitedNations,the Borrower'sCountryprohibitsanyimportofgoodsfrom,oranypayments to, a particular country, person, or entity. Where the borrower's country prohibitspaymentstoaparticularfirmorforparticulargoodsbysuchan actofcompliance,thatfirmmaybeexcluded. | |
| 4. Contract Agreement | 4.1 The Parties shall enter into a Contract Agreement within 15 days after the Contractor receives the Letter of Acceptance, unless the Special Conditions establishotherwise.TheContractAgreementshallbebasedupontheattached Contract forms in SectionIX. | |
| 5. Assignment | 5.1 NeitherPartyshallassignthewholeoranypartoftheContractoranybenefit orinterestinorundertheContract.However,eitherParty | |
| | (a) mayassignthewholeoranypartwiththeprioragreementoftheother Party,atthesolediscretionofsuchotherParty;and | |
| | (b) may, as security in favor of a bank or financial institution, assign its righttoanymoneysdue,ortobecomedue,undertheContract. | |
| | | |

| of Documents | Employer.UnlessotherwisestatedintheContract,onecopyoftheContractand ofeachsubsequentDrawingshallbesuppliedtotheContractor,whomaymake orrequestfurthercopiesatthecostoftheContractor. |
|-----------------------------------|--|
| | 6.2 Each of the Contractor's Documents shall be in the custody and care of the Contractor, unless and until taken over by the Employer. Unless otherwise stated in the Contract, the Contractor shall supply to the Engineers ix copies of each of the Contractor's Documents. |
| | 6.3 TheContractorshallkeep,ontheSite,acopyoftheContract,publicationsnamed in the Specification, the Contractor's Documents (if any), the Drawings and Variations and other communications given under the Contract. The Employer's Personnel shall have the right of access to all these documents at all reasonabletimes. |
| | 6.4 If a Party becomes aware of an error or defect in a document which was preparedforuseinexecutingtheWorks,thePartyshallpromptlygivenoticeto theotherPartyofsucherrorordefect. |
| 7. Confidential Details | 7.1 The Contractor's and the Employer's Personnel shall disclose all such confidential and other information as may be reasonably required in order to verify the Contractor's compliance with the Contract and allow its proper implementation. |
| | 7.2EachofthemshalltreatthedetailsoftheContractasprivateandconfidential, except to the extent necessary to carry out their respective obligations under theContractortocomplywithapplicableLaws.Eachofthemshallnotpublish or disclose any particulars of the Works prepared by the other Party without the previous agreement of the other Party. However, the Contractor shall be permitted to disclose any publicly available information, or information otherwiserequiredtoestablishhisqualificationstocompeteforotherprojects. |
| | 7.3Notwithstandingtheabove,theContractormayfurnishtoitsSubcontractor(s) such documents, data and other information it receives from the Employer to the extent required for the Subcontractor(s) to perform its work under the Contract,inwhicheventtheContractorshallobtainfromsuchSubcontractor(s) an undertaking of confidentiality similar to that imposed on the Contractor under thisClause. |
| 8. Compliance with Laws | 8.1 The Contractors hall, in performing the Contract, comply with applicable Laws. |
| 9. Joint and Several Liability | 9.1IftheContractorisajointventureoftwoormoreentities, all suchentities shall be jointly and severally liable to the Employer for the fulfillment of the provisions of the Contract, and shall designate one of such persons to act as a leader with authority to bind the joint venture. The composition or the constitution of the joint venture shall not be altered without the priorconsent of the Employer. |
| 10. Project | 10.1 Except where otherwise specifically stated, the Project Manager shall decide contractual matters between the Employer and the Contractor in the role |

| Manager's Decisions | representing the Employer. |
|---|--|
| 11. Delegation | 11.1TheProjectManagermaydelegateanyofhisduties and responsibilitiestoother people after notifying the Contractor, and may cancel any delegation after notifying the Contractor. |
| 12. Communications | 12.1 Communications between parties that are referred to in the Conditions shall be effective only when in writing. A notice shall be effective only when it is delivered. |
| 13. Subcontracting | 13.1AlistofapprovedSubcontractorsincludingitsvalue/worksisincludedasArticle2 (k) of contract Agreement. Approval by the Employer for any of the Subcontractors shall not relieve the Contractor from any of its obligations, duties, or responsibilities under the contract. |
| 14. Other Contractors | 14.1 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities, and the Employer between the dates given in the ScheduleofOtherContractors, asreferredtointheSCC. TheContractorshall also provide facilities and services for them as described in the Schedule. The Employer may modify the Schedule of Other Contractors, and shall notify the Contractorofanysuchmodification |
| 15 Personnel and Equipment | 15.1 The Contractor shall employ the key personnel and use the equipment identified in its Bid to carry out the Works, or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of key personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid. |
| | 15.2IftheProjectManageraskstheContractortoremoveapersonwhoisamember of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connectionwiththeworkintheContract. |
| | 15.3 Ifthe Employer, Project Manager, or Contractor determines, that any employee of the Contractor be determined to have engaged in corrupt, fraudulent, collusive, coercive, or other prohibited practices during the execution of the Works, then that employee shall be removed in accordance with Clause 15.2 above. |
| 16. Employer's and Contractor's Risk | 16.1TheEmployercarriestheriskswhichthisContractstatesareEmployer'srisks, and the Contractor carries the risks which this Contract states are Contractor's risks. |
| 17. Employer's Risks | 17.1 FromtheStartDateuntiltheDefectsLiabilityCertificatehas beenissued,the following are Employer's risks: |
| | (a) The risk of personal injury, death, or loss of ordamage |
| | toproperty(excludingtheWorks,Plant,Materials,andEquipment),whichare dueto |

| | (i) use or occupation of the Site by the Works or for the purpose of the Works,whichistheunavoidableresultoftheWorksor |
|---------------------------|--|
| | (ii) negligence, breach of statutory duty, or interference with any legal right by the Employer or by any person employed by or contracted to him except the Contractor. |
| | (b) The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Employer or in the Employer's design, or due to war or radioactive contamination directly affecting the country where the Works are to be executed. |
| | 17.2 FromtheCompletionDateuntiltheDefectsLiabilityCertificate hasbeenissued, theriskoflossofordamagetotheWorks,Plant,andMaterialsisanEmployer's riskexceptlossordamagedueto |
| | (a) aDefectwhichexistedontheCompletionDate, |
| | (b) an event occurring before the Completion Date, which was notitself an Employer's risk, or |
| | (c) the activities of the Contractor on the Site after the CompletionDate. |
| 18. Contractor's Risks | 18.1 From the Starting Date until the Defects Liability Certificate has been issued, the risks of personal injury, death, and loss of or damage to property (including, without limitation, the Works, Plant, Materials, and Equipment) which are not Employer's risks are Contractor's risks. |
| 19. Insurance | 19.1 The Contractor shall provide insurance in the joint names of the Employer andtheContractorfromtheStartDatetotheendoftheDefectsLiabilityPeriod,in theamountsanddeductibles statedintheSCC forthefollowingeventswhich areduetotheContractor'srisks: |
| | (a) lossofordamagetotheWorks,Plant,andMaterials; |
| | (b) lossofordamagetoEquipment; |
| | (c) loss of or damage to property (except the Works, Plant, Materials, and Equipment)inconnectionwiththeContract;and |
| | (d) Personal injury ordeath. |
| | 19.2 PoliciesandcertificatesforinsuranceshallbedeliveredbytheContractortothe ProjectManagerfortheProjectManager'sapprovalbeforetheStartDate.All suchinsuranceshallprovideforcompensationtobepayableintheproportions ofNepaleseRupeesrequiredtorectifythelossordamageincurred. |
| | 19.3 If the Contractor does not provide any of the policies and certificates required, the Employer may affect the insurance which the Contractor should have provided and recover the premiums the Employer has paid from payments otherwise due to the Contractor or, if no payment is due, the paymentofthepremiumsshallbeadebtdue. |
| | 19.4 Alterations to the terms of insurance shall not be made without the approval of the ProjectManager. |
| 19. Insurance | Employer's risks are Contractor's risks. 19.1 The Contractor shall provide insurance in the joint names of the Employer and the Contractor from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles stated in the SCC for the following events which are due to the Contractor's risks: (a) loss of or damage to the Works, Plant, and Materials; (b) loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract; and (d) Personal injury or death. 19.2 Policies and certificates for insurance shall be delivered by the Contract or to the Project Manager for the Project Manager's approval before the Start Date. All such insurance shall provide for compensation to be payable in the proportions of Nepalese Rupees required to rectify the loss or damage in curred. 19.3 If the Contractor does not provide any of the policies and certificate required, the Employer may affect the insurance which the Contract should have provided and recover the premiums the Employer has paid for payments otherwise due to the Contractor or, if no payment is due, payment of the premiums shall be adebt due. 19.4 Alterations to the terms of insurance shall not be made without the approximation of the provided and recover the premiums be made without the approximation of the payment of the terms of insurance shall not be made without the approximation of the payment of the terms of insurance shall not be made without the approximation of the payment of the terms of insurance shall not be made without the approximation of the payment of the terms of insurance shall not be made without the approximation of the payment of the payment of the terms of insurance shall not be made without the approximation of the payment of the paym |

| | 19.5 Both parties shall comply with any conditions of the insurance policies. | | | |
|--|--|--|--|--|
| 20. Site Investigation Reports | 20.1 The Contractor, in preparing the Bid, shall rely on any Site Investigation Reportsreferredto intheSCC ,supplementedbyanyinformationavailableto theContractor. | | | |
| 21. Contractor to ConstructtheWorks | 21.1 The Contractor shall construct and install the Works in accordance with the Specifications and Drawings. | | | |
| 22. The Works toBe Completed within intended CompletionDate | 22.1TheContractormaycommenceexecutionoftheWorksontheStartDateand shall carry out the Works in accordance with the Program submitted by the Contractor,asupdatedwiththeapprovaloftheProjectManager,andcomplete themwithintheintendedCompletionDate. | | | |
| 23. Design by contractor and | 23.1 Thecontractorshallberesponsibleforthedesignofpermanentworksas specified in SCC. | | | |
| Approval by the ProjectManager | 23.2 Contractor shall be responsible for design of the Temporary Works. The Contractor shall submit Specifications and Drawings showing the proposed TemporaryWorkstotheProjectManager,forhisapproval. | | | |
| | 23.3All Drawings prepared by the Contractor for the execution of the temporary orpermanentWorks, shall be subject to prior approval by the Project Manager before their use. | | | |
| | 23.4TheProjectManager'sapprovalshallnotaltertheContractor'sresponsibilityfor design of temporaryworks. | | | |
| 24. Safety, Security and Protection of | 24.1 The Contractor shall, throughout the execution, and completion of the works andremedyingofanydefectstherein: | | | |
| the Environment | a. Have full regard for the safety of all persons entitled to be upon the site and keep the site (so as the same is under his control) and the works (so faras the same are not completed or occupied by the Employer) in an orderly stateappropriate to the avoidance of danger to such persons. | | | |
| | b. Provideandmaintainathisowncostalllights,guards,fencing,warningsigns and watching, when necessary or required by the Project Manager or byany duly constituted authority, for the protection of the Works of for the safety andconvenienceofthepublicorothers. | | | |
| | c. Take all reasonable steps to protect the environment on and off the siteand to avoid damage or nuisance topersons | | | |
| | or to property of the public or others resulting from pollution, noise or other causes arising as a consequence of his methods of operation. | | | |
| | d. Ensure that any cut or fill slopes are planted in grass or other plant cover as soonaspossibletoprotectthemfromerosion. | | | |
| | e. Anyspoilormaterialremovedfromdrainsshallbedisposedoftodesignated stabletippingareasasdirectedbytheProjectManager. | | | |
| | f. Shall not use fuel wood as a means of heating during the processingor | | | |

| Γ | |
|----------------------------------|---|
| | preparation of any materials forming part of the works. |
| | g. The Project Manager shall have the power to disallow any working practiceoractivityoftheContractorordirectthatsuchpracticesoractivities be modified should the Project Manager consider, on the advice of the relevant Government Departments, that the practices or activities will be harmful towildlife. |
| | h. Provide on the Site such lifesaving apparatus as may be appropriate and an adequate and easily accessible first aid outfit or such outfits as may be required by any government ordinance, factory act, etc., subsequently published and amended from time totime. |
| 25. Discoveries | 25.1 Anything of historical or other interest or of significant value unexpectedly discoveredontheSiteshallbethepropertyoftheemployer.TheContractorshall notifytheProjectManagerofsuchdiscoveriesandcarryouttheProjectManager's instructionsfordealingwiththem. |
| 26. Possession of the Site | 26.1 The Employer shall give possession of all parts of the Site to the Contractor. If possessionofapartisnotgiven by the date stated in the SCC , the Employer shall be deemed to have delayed the start of the relevant activities, and this shall be a Compensation Event. |
| 27. Access to the Site | 27.1 The Contractor shall allow the Project Manager and any person authorized by the Project Manager access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out. |
| 28.Instructions, Inspections and | 28.1 The Contractor shall carry out all instructions of the Project Manager which complywiththeapplicablelawswheretheSiteislocated. |
| Audits | 28.2 The Contractor shall keep, and shall make all reasonable efforts to cause its Subcontractorsandsubconsultantstokeepaccurateandsystematicaccounts and records in respect of the Works in such form and details as will clearly identify relevant time changes andcosts. |
| | 28.3 The Contractor shall permit the GoN/DP and/or persons appointed by the GoN/DP to inspect the Site and/or the accounts and records of the Contractor anditssub-contractorsrelatingtotheperformanceoftheContract, and to have such accounts and records audited by auditors appointed by the GoN/DP if requiredbytheGoN/DP.TheContractor's attention is drawn to Sub-Clause 73.2 which provides, interalia, that acts intended to materially impede the exercise of the GoN's/DP's inspection and audit rights provided for under this Sub-Clause constitute a obstructive practice subject to contract termination. |
| 29. Dispute Settlement | 29.1 The Employer and the Contractor shall attempt to settle amicably by direct negotiation any disagreement or dispute arising between them under or in connection with the Contract. |
| | 29.2AnydisputebetweenthePartiesastomattersarisingpursuanttothisContract which cannot be settled amicably within thirty (30) days after receipt by one Party of the other Party's request for such amicable settlement may be referred to Arbitration within 30 days after the expiration of amicable |

| | settlement period. | | | |
|---|---|--|--|--|
| 30. Procedures for Disputes | 30.1Incaseofarbitration, the arbitration shall be conducted in accordance with the arbitration procedures published by the Nepal Council of Arbitration (NEPCA) at the place given in the SCC . | | | |
| B. Staff and Labor | | | | |
| 31. Forced Labor | 31.1 The Contractor shall not employ forced labor, which consists of any work or service, not voluntarily performed, that is exacted from an individual under threat of force or penalty. This covers any kind of involuntary or compulsory labor, such as indentured labor, bonded labor, or similar labor–contracting arrangements. | | | |
| 32. Child Labor | 32.1 The Contractor shall not employ children in a manner that is economically exploitative, or is likely to be hazardous, or to interfere with, the child's education,ortobeharmfultothechild'shealthorphysical,mental,spiritual, moral, or social development. Where national laws have provisions for employmentofminors,theContractorshallfollowthoselawsapplicabletothe Contractor. Children below the age of 18 years shall not be employed in dangerouswork. | | | |
| 33.Non- discrimination and EqualOpportunity | 34.1TheContractorshallnotmakeemploymentdecisionsonthebasisofpersonal characteristics unrelated to inherent job requirements. The Contractor shall base the employment relationship on the principle of equal opportunity and fair treatment, and shall not discriminate with respect to aspects of the employment relationship, including recruitment and hiring, compensation (includingwagesandbenefits),workingconditionsandtermsofemployment, accesstotraining,promotion,terminationofemploymentorretirement,and discipline.Incountrieswherenationallawprovidesfornon-discriminationin employment, the Contractor shall comply with national law. When national lawsaresilentonnondiscriminationinemployment,theContractorshallmeet thisSubclause'srequirements.Specialmeasuresofprotectionorassistanceto remedy past discrimination or selection for a particular job based on the inherentrequirementsofthejobshallnotbedeemeddiscrimination. | | | |
| | Time Control | | | |
| 34. Program | 34.1 Withinthetime statedintheSCC ,afterthedateoftheLetterofAcceptance, the Contractor shall submit to the Project Manager for approval a Program showingthegeneralmethods,arrangements,order,andtimingforalltheactivities in the Works. In the case of a lump sum contract, the activities in the Program shallbeconsistentwiththoseintheActivitySchedule. | | | |
| | 34.2 An update of the Program shall be a program showing the actual progress achievedoneachactivityandtheeffectoftheprogressachievedonthetimingof theremainingwork,includinganychangestothesequenceoftheactivities. | | | |
| | 34.3 TheContractorshallsubmittotheProjectManagerforapprovalanupdated Program at intervals no longer than the period stated in the SCC . If the Contractor does not submit an updated Program within this period, the Project | | | |

| | Manager may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after thedateonwhichtheoverdueProgramhasbeensubmitted.Inthecaseofalump sumcontract,theContractorshallProvideanupdatedActivitySchedulewithin15 daysofbeinginstructedtobytheProjectManager. |
|---|--|
| | 34.4 The Project Manager's approval of the Program shall not alter the Contractor's obligations. The Contractor may revise the Program and submit it to the Project Manager again at any time. A revised Program shall show the effect of Variations and Compensation Events. |
| 35. Extension of the Intended Completion Date | 35.1 The Project Manager shall extend the Intended Completion Date if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work, which wouldcausetheContractortoincuradditionalcost. |
| | 35.2 The Project Manager shall decide whether and by how much to extend the IntendedCompletionDatewithin21daysoftheContractoraskingtheProject ManagerforadecisionupontheeffectofaCompensationEventorVariation andsubmittingfullsupportinginformationatleast7dayspriortotheintended completiondate.IftheContractorhasfailedtogiveearlywarningofadelayorhas failed to cooperate in dealing with a delay, the delay by this failure shall not be consideredinassessingthenewIntendedCompletionDate. |
| 36. Acceleration | 36.1 When the Employer wants the Contractor to finish before the Intended Completion Date, the Project Manager shall obtain priced proposals for achieving the necessary acceleration from the Contractor. If the Employer accepts these proposals, the Intended Completion Date shall be adjusted accordinglyandconfirmedbyboththeEmployerandtheContractor. |
| | 36.2 IftheContractor'spricedproposalsforaccelerationareacceptedbythe Employer,theyareincorporatedintheContractPriceandtreatedasaVariation. |
| 37. Delays Ordered by the Project Manager | 37.1TheProjectManagermayinstructtheContractortodelaythestartorprogress of any activity withinthe Works. |
| 38. Management Meetings | 38.1 EithertheProjectManagerortheContractormayrequiretheothertoattenda managementmeeting.Thebusinessofamanagementmeetingshallbetoreview the plans for remaining work and to deal with matters raised in accordance with the early warningprocedure. |
| | 38.2 The Project Manager shall record the business of management meetings and providecopiesoftherecordtothoseattendingthemeetingandtotheEmployer. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the managementmeeting and stated in writing to all who attended the meeting. |
| 39. Early Warning | 39.1 The Contractor shall warn the Project Manager at the earliest opportunity of specificlikelyfutureeventsorcircumstancesthatmayadverselyaffectthe qualityofthework,increasetheContractPrice,ordelaytheexecutionofthe |

| | Works.TheProjectManagermayrequiretheContractortoprovideanestimate of |
|--------------------------------------|--|
| | the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible. |
| | 39.2 The Contractor shall cooperate with the Project Manager in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Project Manager. |
| C. Quality Contro | ol |
| 40. Identifying Defects | 40.1TheProjectManagershallchecktheContractor'sworkandnotifytheContractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities.TheProjectManagermayinstructtheContractortosearchfor aDefectandtouncoverandtestanyworkthattheProjectManagerconsidersmay have aDefect. |
| 41. Tests | 41.1IftheProjectManagerinstructstheContractortocarryoutatestnotspecifiedin theSpecificationtocheckwhetheranyworkhasaDefectandthetestshowsthatit does,theContractorshallpayforthetestandanysamples.IfthereisnoDefect, thetestshallbeaCompensationEvent. |
| 42. Correction of Defects | 42.1TheProjectManagershallgivenoticetotheContractorofanyDefectsbefore the end of the Defects Liability Period, which begins at Completion, and is definedintheSCC .TheDefectsLiabilityPeriodshallbeextendedforaslongas Defects remain to becorrected. |
| | 42.2 EverytimenoticeofaDefectisgiven,theContractorshallcorrectthenotified DefectwithinthelengthoftimespecifiedbytheProjectManager'snotice. |
| 43. Uncorrected Defects | 43.1 If the Contractor has not corrected a Defect within the time specified in the Project Manager's notice, the Project Manager shall assess the cost of having the Defect corrected, and the Contractor shall pay this amount. |
| D. Cost Control | |
| 44. Contract Price | 44.1 In the case of a Unit Rate contract, the Bill of Quantities shall contain priced itemsfortheWorkstobeperformedbytheContractor.TheBillofQuantitiesis usedtocalculatetheContractPrice.TheContractorwillbepaidforthequantity oftheworkaccomplishedattherateintheBillofQuantitiesforeachitem. |
| | 44.2 Inthecaseofalumpsumcontract, the Activity Scheduleshall contain the priced activities for the Workstobe performed by the Contractor. The Activity Schedule is used to monitor and control the performance of activities on which basis the Contractor will be paid. If payment for Materials on Site shall be made separately, the Contractor shall show delivery of Materials to the Site separately on the Activity Schedule. |
| 45. Changes in the Contract Price | 45.1 In the case of an Unit Rate contract:(a) If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent, provided the change exceeds 2 percent of the Initial Contract Price, the Project Manager |

| | shall adjust the rate to allow for the change. |
|-----------------------------|--|
| | (b) The Project Manager shall not adjust rates from changes in quantities if thereby the Initial Contract Price is exceeded by more than 10 percent, except with the prior approval of the Employer. |
| | (c) If requested by the Project Manager, the Contractor shall provide the Project Managerwithadetailed costbreakdownofanyrateintheBillofQuantities. |
| | 45.2Inthecaseofalumpsumcontract, the Activity Schedules hall be amended by the Contractor to accommodate changes of Program or method of working made at the Contractor's own discretion. Prices in the Activity Schedule shall not be altered when the Contractor makes such changes to the Activity Schedule. |
| 46. Variations | 46.1AllVariationsshallbeincludedinupdatedPrograms,and,inthecaseofalump sumcontract,alsointheActivitySchedule,producedbytheContractor. |
| | 46.2 The Contractor shall provide the Project Manager with a quotation for carrying out the Variation when requested to do so by the Project Manager. The Project Manager shall assess the quotation, which shall be given within seven (7) days of the request or within any longer period stated by the Project Managerandbeforethe Variation is ordered. |
| | 46.3 IftheContractor'squotationisunreasonable,theProjectManagermayorder theVariationandmakeachangetotheContractPrice,whichshallbebasedon the Project Manager's own forecast of the effects of the Variation on the Contractor'scosts. |
| | 46.4 If the Project Manager decides that the urgency of varying the work would preventaquotationbeinggivenandconsideredwithoutdelayingthework,no quotation shall be given and the Variation shall be treated as a Compensation Event. |
| | 46.5 TheContractorshallnotbeentitledtoadditionalpaymentforcoststhatcould havebeen avoided by giving early warning. |
| | 46.6 InthecaseofanUnitRatecontract,iftheworkintheVariationcorrespondsto anitemdescriptionintheBillofQuantitiesandif,intheopinionoftheProject Manager,thequantityofworkabovethelimitstatedinGCC45.1orthetimingof itsexecutiondonotcausethecostperunitofquantitytochange,therateinthe Bill of Quantities shall be used to calculate the value of the Variation.If the cost perunitofquantitychanges,orifthenatureortimingoftheworkintheVariation does not correspond with items in the Bill of Quantities, the quotation by the Contractorshallbeintheformofnewratesfortherelevantitemsofwork. |
| 47. Cash Flow Forecasts | 47.1 When the Program, or, in the case of a lump sum contract, the Activity Schedule,isupdated,theContractorshallprovidetheProjectManagerwithan updated cash flowforecast. |
| 48. Payment Certificates | 48.1 The Contractor shall submit to the Project Manager monthly statements of the estimated value of the work executed less the cumulative amount certified previously. |
| | 48.2 The Project Managershall check the Contractor's monthly statement and certify |

| | the amount to be paid to the Contractor within 30 days of submission by contractor. |
|------------------|--|
| | 48.3 ThevalueofworkexecutedshallbedeterminedbytheProjectManager. |
| | 48.4 Thevalueofworkexecutedshallcomprise: |
| | (a) In the case of an Unit Rate contract, the value of the quantities of work intheBillofQuantitiesthathavebeencompleted;or |
| | (b) In the case of a lump sum contract, the value of work executed shall comprise the value of complete dactivities in the Activity Schedule. |
| | 48.5 The value of work executed shall include the valuation of Variations and CompensationEvents. |
| | 48.6 The Project Manager may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of laterinformation. |
| 49. Payments | 49.1 Payments shall be adjusted for deductions for advance payments and retention. The Employer shall pay the Contractor the amounts certified by the Project Manager within 30 days of the date of each certificate. If the Employer makes a latepayment, the Contractor shall be paid interest as indicated in the SCC on the late payment in the next payment. Interest shall be calculated from the date by which the payment should have been made up to the date when the latepayment is made. |
| | 49.2 If an amount certified is increased in a later certificate or as a result of an awardbyanArbitrator,theContractorshallbepaidinterestuponthedelayed payment as set out in this clause. Interest shall be calculated from the date uponwhichtheincreasedamountwouldhavebeencertifiedin theabsenceof dispute. |
| | 49.3 ItemsoftheWorksforwhichnorateorpricehasbeenenteredinBOQshallnotbe paidforbytheEmployerandshallbedeemedcoveredbyotherratesandpricesin theContract. |
| 50. Compensation | 50.1 ThefollowingshallbeCompensationEvents: |
| Events | (a) The Employer does not give access to a part of the Site Possession Date pursuant to GCC 26.1. |
| | (b) The Employer modifies the Schedule of Other Contractors in a way that affectstheworkoftheContractorundertheContract. |
| | (c) The Project Manager orders a delay or does not issue Drawings, Specifications, or instructions required for execution of the Worksontime. |
| | (d) The Project Manager instructs the Contractor to uncover or to carry out additionaltestsuponwork, which is then found to have no Defects. |
| | (e) The Project Manager unreasonably does not approve a subcontract to be let. |

| | (f) Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of the Letter of Acceptance from the information issued to bidders (including the Site Investigation Reports), frominformationavailablepubliclyandfromavisualinspectionoftheSite. |
|-------------------------|---|
| | (g) The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Employer, or additional work required for safety or other reasons. |
| | (h) Other contractors, public authorities, utilities, or the Employer does not work within the dates and other constraints stated in the Contract, andtheycausedelayorextracosttotheContractor. |
| | (i) The advance payment isdelayed. |
| | (j) TheeffectsontheContractorofanyoftheEmployer'sRisks. |
| | (k) The Project Manager unreasonably delays issuing a Certificate of Completion. |
| | 50.2 IfaCompensationEventwouldcauseadditionalcostorwouldpreventthework beingcompletedbeforetheIntendedCompletionDate,theContractPriceshall be increased and/or the Intended Completion Date shall be extended. The ProjectManagershalldecidewhetherandbyhowmuchtheContractPriceshall be increased and whether and by how much the Intended Completion Date shall beextended. |
| | 50.3 AssoonasinformationdemonstratingeffectofeachCompensationEventupon the Contractor's forecast cost has been provided by the Contractor, it shall be assessed by the Project Manager, and the Contract Price shall be adjusted accordingly. If the Contractor's forecast is deemed unreasonable, the Project Manager shall adjust the Contract Price based on the Project Manager'sown forecast. The Project Manager shall assume that the Contractor shall react competentlyandpromptlytotheevent. |
| | 50.4 The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor's not having given early warning or not having cooperated with the Project Manager. |
| 51. Tax | 51.1 The Project Manager shall adjust the Contract Price if taxes, duties, and otherlevies are changed between the date 30 days before the submission of bids for the Contract and the date of the last Completion certificate. The adjustments hall be the change in the amount of tax payable by the Contractor, provided such changes are not already reflected in the Contract Price or are are sult of GCC 53. |
| 52. Currency | 52.1 The currency of Contracts shall be Nepalese Rupees. |
| 53. Price Adjustment | 53.1Pricesshallbeadjustedforfluctuationsinthecostofinputsonlyif provided forintheSCC .Ifsoprovided,theamountscertifiedineachpaymentcertificate, before deducting for Advance Payment, shall be adjusted by applyingthe |

respective price adjustment factor to the payment amounts due.

53.2 Adjustment Formulae³: The formulae will be of the following general type:

Where:

pn is a price adjustment factor to be applied to the amount for the payment of the work carried out in the subject month, determined in accordance with Clause49;

Aisaconstant, specified in the Bidding Forms-Table of Price Adjustment data, representing the nonadjustable portion in contractual payments; 4b, c, d, etc., coefficients representing the estimated proportion of each cost element (labor, materials, equipment usage, etc.) in the Works or sections thereof, net of Provisional Sums, asspecified in the SCC;

*Ln,Mn,En,*etc.,arethecurrentcostindicesorreferencepricesofthecostelements for month "n," determined pursuant to Sub-Clause 53.4, applicable to each cost element;and

Lo, Mo, Eo, etc., are the base cost indices or reference prices corresponding to the above cost elements at the date specified in Sub-Clause 53.4

53.3 SourcesofIndicesandWeightings:Thesourcesofindicesshallbethose listed in the Bidding Forms- Table of Price Adjustment data, as approved by the Project Manager and stated in SCC. Indices shall be appropriate for their purpose and shall relate to the Contractor's proposed source of supply of inputs on the basis of which his Contract shall have been computed. As the proposedbasisforpriceadjustment,theContractorshallhavesubmittedwith his bid the tabulation of Weightings and Source of Indices in the Bidding Forms,whichshallbesubjecttoapprovalbytheProjectManager.

- 53.4 Base, Current and Provisional Indices: The base cost indices or prices shall be those prevailing on the day 30 days prior to the latest date for submission of bids. Current indices or prices shall be those prevailing on the day 30 days prior to the last day of the period to which a particular Interim Payment Certificate is related. If at any time the current indices are not available, provisional indices as determined by the Project Manager will be used, subject to subsequent correction of the amounts paid to the Contractor when the current indices become available.
- 53.5 Weightings:TheweightingsforeachofthefactorsofcostgivenintheBidding Forms shall be adjusted if, in the opinion of the Project Manager, they have

³ For complex Works involving several types of construction work with different inputs, a family of Formulaewillbenecessary. The various items of Daywork may also required ifferent formulae, depending on the nature and source of the inputs

InsertafigureforfactorAonlywherethereisapartoftheContractors'expenditureswhichwillnotbe subject to fluctuation in cost or to compensate for the unreliability of some indices. A should normally be 0.15. The sum of A, b, c, d, etc., should be one.

| | beenrenderedunreasonable, unbalancedorinapplicableas are sultofvaried or additional work already executed or instructed under Clause 46 or for any other reason. |
|---------------|--|
| | 53.6 Where,priceadjustmentprovisionisnotapplicablepursuanttoSub-clause53.1 thentheContractissubjecttopriceadjustmentonlyforconstructionmaterial in accordance with this clause. If the prices of the construction materials stated in the contract is increased or decreased in an unexpected manner in excess of ten (10%) percent in comparison to the base price construction material stated in Section –IV, Bidding Forms-Table of Price Adjustment Data, then the price adjustment for the increase or decrease of price of the construction material beyond 10% shall be made by applying the following formulas: |
| | For unexpected increase in price |
| | $P = [R_1 - (R_0 \times 1.10)] \times Q$ |
| | For unexpected decrease in price P |
| | $= [R_1 - (R_0 \times 0.90)] \times Q$ |
| | Where: |
| | "P" is price adjustment amount |
| | " R_i " is the present price of the construction material (Source of indices shall be those listed in the Bidding forms) |
| | "R _o " is the base price of the construction material |
| | "Q"isquantityoftheconstructionmaterialconsumedinconstructionduringthe period of price adjustment consideration If the Base price and source is to be proposed by the Bidder as per the provision made in Section –IV, Bidding Forms-Table of Price Adjustment Data then the Base price and source filled by Bidder for the construction material stated in the Bidding Form shall be subject to the approval of the Project manager and shall be as stated inSCC |
| | 53.7 ThePriceAdjustmentamountshallbelimitedtoamaximumoftheinitialContract Amount as specified in the SCC . |
| | 53.8 The Price Adjustment provision shall not be applicable for delayed period if the contractisnot completed in timedue to orthecontractisa Lumpsum Contract The Price Adjustment provision shall not be applicable for delayed period if the contraction of the c |
| 54. Retention | 54.1 The Employer shall retain from each payment due to the Contractor the proportion stated in the SCC until Completion of the Works. |
| | 54.2 Upon the issue of a Defects Liability Certificate by the Project Manager, in accordancewithGCC70.1,halfthetotalamountretainedshallberepaidto the Contractor and half when the Contractor has submitted the evidence of submission of tax return to the concerned Internal Revenue Office.On completionofthewholeworks,theContractormaysubstituteretentionmoney |

| | with an "on demand" bank guarantee. |
|------------------------|--|
| | with all off demand bank guarantee. |
| 55. Liquidated Damages | 55.1 The Contractor shall pay liquidated damages to the Employer at the rate per day statedintheSCC foreachdaythattheCompletionDateislaterthantheIntended Completion Date. The total amount of liquidated damages shall not exceed the amountdefinedintheSCC. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities. |
| | 55.2 If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractorshallbepaidinterestontheoverpayment, calculated from the date of payment to the date of payment, at the rates specified in GCC.49 |
| 56. Bonus | 56.1 The Contractor shall be paid a Bonus calculated at the rate per calendar day stated in the SCC for each day (less any days for which the Contractor is paid for acceleration) that the Completion is earlier than the Intended CompletionDate.TheProjectManagershallcertifythattheWorksarecomplete, althoughtheymaynotbeduetobecomplete. |
| 57. Advance Payment | 57.1 The Employer shall make advance payment to the Contractor of the amounts stated in the SCC in two equal installments by the date stated in the SCC , against provision by the Contractor of an unconditional bank guarantee from 'A' class commercial Bank in a form acceptable to the Employer in amounts equal to the advance payment. The guarantee shall remain effective until the advance payment has been repaid, but the amount of the guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest shall not be charged on the advance payment. |
| | 57.2 TheContractoristousetheadvancepaymentonlytopayforEquipment,Plant, Materials, and mobilization expenses required specifically for execution of the Contract.TheContractorshalldemonstratethatadvancepaymenthasbeenused in this way by supplying copies of invoices or other documents to the Project Manager. |
| | 57.3 The advance payment shall be repaid by deducting proportionate amounts, as stated in SCC , from payments otherwise due Contractor, following the schedule of completed percentages of the Works on a payment basis. No account shall be taken of the advance payment or its repayment in assessing valuations of work done, Variations, price adjustments, Compensation Events, Bonuses, or LiquidatedDamages. |
| 58. Securities | 58.1 The Performance Security, including any additional security required as per ITB 32.5 and ITB 37.1, shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount specified in the SCC , by a 'A' class commercial bank acceptable to the Employer, and denominated in Nepalese Rupees. The Performance Security shall be valid until a date 30 days from the date of issue of the DefectLiability |

| | _ | |
|---------------------|---|---|
| | | Certificate in the case of a bank guarantee. |
| | a | AnyadditionalperformancesecurityrequiredasperITB32.5shallbevaliduntil adate30daysfromthedateofissueofthecertificateofCompletioninthecase of a bankguarantee. |
| | d | AnyadditionalperformancesecurityrequiredasperITB37.1shallbevaliduntil a late 30 days from the date of issue of the certificate of DLP in the case of a pankguarantee. |
| | _ | 8.2TheperformancesecurityissuedbyanyforeignBankoutsideNepalmust becounterguaranteedbyan"A"classcommercialBankinNepal. |
| 59. Day works | S | f applicable, the Day works rates in the Contractor's Bid shall be used for small additional amounts of work only when the Project Manager has given writteninstructionsinadvanceforadditionalworktobepaidforinthatway. |
| | for v | ll work to be paid for as Day works shall be recorded by the Contractor on forms approved by the Project Manager. Each completed form shall be rerified and signed by the Project Manager within two days of the work being lone. |
| | | heContractorshallbepaidforDayworkssubjecttoobtainingsignedDayworks forms. |
| 60. Cost of Repairs | 60.1 Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's acts or omissions. | |
| F. Force | Majeu | re |
| 61. Definition of | 61.1 In | thisClause, "ForceMajeure" meansanexceptional eventor circumstance, |
| ForceMajeure | (; | a) which is beyond a Party'scontrol; |
| | (1 | b) which such Party could not reasonably have provided against before entering into the Contract; |
| | (| c) which, having arisen, such Party could not reasonably have avoided or overcome;and |
| | (d) v | whichisnotsubstantially attributable to the other Party. |
| | | |
| | c | Force Majeure may include, but is not limited to, exceptional events or ircumstances of the kind listed below, so long as conditions (a) to (d) above resatisfied: |
| | a | ircumstances of the kind listed below, so long as conditions (a) to (d) above |
| | c a (a | ircumstances of the kind listed below, so long as conditions (a) to (d) above resatisfied: a) war,hostilities(whetherwarbedeclaredornot),invasion,actofforeign |

| | Contractor's Personnel; | |
|--------------------------------------|---|--|
| | (d) munitions of war, explosive materials, ionizing radiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such munitions, explosives, radiation or radio- activity; and | |
| | (e) naturalcatastrophessuchasearthquake,hurricane,typhoonorvolcanic activity. | |
| 62. Notice of Force Majeure | 62.1 If a Party is or will be prevented from performing its substantial obligations under the Contract by Force Majeure, then it shall give notice to the other Party of the event or circumstances constituting the Force Majeure and shall specifytheobligations, the performance of which is or will be prevented. The notice shall be given within 14 days after the Party became aware, or should have become aware, of the relevant event or circumstance constituting Force Majeure. | |
| | 62.2ThePartyshall,havinggivennotice,beexcusedperformanceofitsobligations forsolongassuchForceMajeurepreventsitfromperformingthem. | |
| | 62.3 Notwithstanding any other provision of this Clause, Force Majeure shall not applytoobligationsofeitherPartytomakepaymentstotheotherPartyunder theContract. | |
| 63.DutytoMinimize Delay | 63.1 Each Party shall at all times use all reasonable endeavors to minimize any delay in the performance of the Contract as a result of Force Majeure. | |
| | 63.2APartyshallgivenoticetotheotherPartywhenitceasestobeaffectedbythe ForceMajeure. | |
| 64. Consequences of Force Majeure | 64.1 IftheContractorispreventedfromperformingitssubstantialobligationsunder theContractbyForceMajeureofwhichnoticehasbeengivenunderGCC62, and suffers delay and/or incurs Cost by reason of such Force Majeure, the ContractorshallbeentitledsubjecttoGCC30to | |
| | (a) an extension of time for any such delay, if completion is or will be delayed, under GCC35; and | |
| | (b) if the event or circumstance is of the kind described insub-paragraphs (a) to(d)ofGCC61.2and,inthecaseofsubparagraphs(b)to(d),occurs intheCountry,paymentofanysuchCost,includingthecostsofrectifying or replacing the Works and/or Goods damaged or destructed by Force Majeure, to the extent they are not indemnified through the insurance policy referred to in GCC19. | |
| | 64.2 After receiving this notice, the Project Manager shall proceed in accordance with GCC 10 to agree or determine these matters. | |

| 65. Force Majeure | | |
|---|---|--|
| Affecting Subcontractor | 5.1IfanySubcontractorisentitledunderanycontractoragreementrelatingtothe Works to relief from force majeure on terms additional to or broader than thosespecifiedinthisClause, suchadditional orbroader force majeure events or circumstances shall not excuse the Contractor's nonperformance or entitle him to relief under this Clause. | |
| 66. Optional Termination, Payment and Release | 66.1 If the execution of substantially all the Works in progress is prevented for a continuous period of 90 days by reason of Force Majeure of which noticehas been given under GCC 62, or for multiple periods which total more than 150 daysduetothesamenotifiedForceMajeure,theneitherPartymaygivetothe other Party a notice of termination of the Contract. In this event, the terminationshalltakeeffect7daysafterthenoticeisgiven,andtheContractor shallproceedinaccordancewithGCC72.5. | |
| | 66.2 Upon such termination, the Project Manager shall determine the value of the work done and issue a Payment Certificate, which shall include | |
| | (a) theamountspayableforanyworkcarriedoutforwhichapriceisstated in theContract; | |
| | (b) the Cost of Plant and Materials ordered for the Works which have be delivered to the Contractor, or of which the Contractor is liable to accept delivery: this Plantand Materials shall be come the property of (and be at risk of) the Employer when paid for by the Employer, and Contractor shall place the same at the Employer's disposal; | |
| | (c)other Costs or liabilities which in the circumstances were reasonably and necessarilyincurred by the Contractor in the expectation of completing the Works; | |
| | (d) the Cost of removal of Temporary Works and Contractor's Equipment from the Site and the return of these items to the Contractor's works in his country (or to any other destination at no greater cost); and | |
| | (e) theCostofrepatriationoftheContractor'sstaffandlaboremployed wholly in connection with the Works at the date of termination. | |
| 67. Release from Performance | 67.1 Notwithstanding any other provision of this Clause, if any event or circumstance outside the control of the Parties (including, but not limitedto, Force Majeure) arises, which makes it impossible or unlawful for either or both Parties to fulfill its or their contractual obligations or which, under the law governing the Contract, entitles the Parties to be released from further performance of the Contract, then upon notice by either Party to the other Party of such event orcircumstance, | |
| | (a) the Parties shall be discharged from further performance, without prejudice to the rights of either Party in respect of any previous breach of the Contract; and | |
| (b) thesumpayablebytheEmployertotheContractorshallbethesame | | |

| | would have been payable under GCC 66 if the Contract had been terminated under GCC 66. | |
|-------------------------------|--|--|
| G. Finishing the (| Contract | |
| 68. Completion | 68.1 The Contractor shall request the Project Manager to issue a certificate of CompletionoftheWorks,andtheProjectManagershalldosoupondecidingthat the work iscompleted. | |
| 69. Taking Over | 69.1 The Employer shall take over the Site and the Works within seven days of the Project Manager's issuing a certificate of Completion. | |
| 70. Final Account | 70.1 The Contractor shall supply the Project Manager with a detailed account of the totalamountthattheContractorconsiderspayableundertheContractbeforethe end of the Defects Liability Period. The Project Manager shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within6odaysofreceivingtheContractor'saccountifitiscorrectandcomplete. If it is not, the Project Manager shall issue within 6o days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Project Manager shall decide on the amount payable to the Contractor and issue a paymentcertificate. | |
| 71. Operating and Maintenance | 71.1 If "as built" Drawings and/or operating and maintenance manuals are required, theContractorshallsupplythembythe datesstatedintheSCC . | |
| Manuals | 71.2 If the Contractor does not supply the Drawings and/or manuals by the dates stated in the SCC pursuant to GCC 71.1 , or they do not receive the Project Manager'sapproval,theProjectManagershallwithholdtheamount statedin theSCC frompaymentsduetotheContractor. | |
| 72. Termination | 72.1 TheEmployermayterminatetheContractatanytimeifthecontractor; | |
| | a. does not commence the work as per theContract,b. abandons the work withoutcompleting,c. failstoachieveprogressaspertheContract. | |
| | 72.2 The Employer or the Contractor may term in a tethe Contractif the other party causes a fundamental breach of the Contract. | |
| | 72.3 Fundamental breaches of Contract shall include, but shall not be limited to, the following: | |
| | (a) The Contractor uses the advance payment for matters other than the contractualobligations, | |
| | (b) theContractorstops workfor3odayswhennostoppageofworkisshownonthe current Program and the stoppage has not been authorized by the Project Manager; | |
| | (c) the Project Managerinstructs the Contractor to delay the progress of the Works, and the instruction is not with drawn within 30 days; | |
| | (d) the Employer or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction oramalgamation. | |

- (e) a payment certified by the Project Manager is not paid by the Employer to the Contractor within 90 days of the date of the Project Manager's certificate;
- (f) the Project Manager gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Project Manager;
- (g) the Project Managergivest wo consecutive Notices to update the Program and accelerate the works to ensure compliance with GCC Sub clause 22.1 and the Contractor fails to update the Program and demonstrate acceleration of the works within areasonable period of time determined by the Project Manager;
- (h) the Contractor does not maintain a Security, which is required;
- (i) the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid, **as defined in the SCC**; and
- (j) If the Contractor, in the judgment of the Employer has engaged in corrupt or fraudulent practices in competing for or in executing the Contract, pursuant to GCC73.1.
- 72.4 When either party to the Contract gives notice of a breach of Contract to the Project Manager for a cause other than those listed under GCC 72.3 above, the ProjectManagershalldecidewhetherthebreachisfundamentalornot.
- 72.5 Notwithstanding the above, the Employer may terminate the Contract for convenience.
- 72.6 If the Contract is terminated, the Contractor shall stop work immediately, maketheSitesafeandsecure,andleavetheSitesasoonasreasonablypossible.

73.Fraud and Corruption

- 73.1 If the Employer determines that the Contractor has engaged in corrupt, fraudulent, collusive, coercive or obstructive practices, in competing for or in executing the Contract, then the Employer may, after giving 15 days' notice to the Contractor, terminate the Contractor's employment under the Contract and expel him from the Site.
- 73.2 ShouldanyemployeeoftheContractorbedeterminedtohaveengagedincorrupt, fraudulent, collusive, coercive, or obstructive practice during the execution of the Works,thenthatemployeeshallberemovedinaccordancewithGCCClause15.

For the purposes of this GCC 73;

- (i) "corrupt practice" is the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence improperly the actions of anotherparty.
- (ii) "fraudulentpractice" sisanyactoromission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefitor to avoid an obligation;
- (iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;
- (iv) "coercive practice", is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the partyto

| | influence improperly the actions of a party; | |
|------------------------------|---|--|
| | (v) "obstructive practice" is | |
| | (aa) deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede a investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or | |
| | (bb) acts intended to materially impede the exercise of the GON's/DP's inspection and audit rights provided for under GCC28.3. | |
| 74. Black Listing | 74.1 Without prejudice to any other rights of the Employer under this Contract,GoN,PublicProcurementMonitoringOffice(PPMO),onthe recommendation of procuring entity, may blacklist a Bidder for its conduct for a period of one (1) to three (3) years on the following groundsandseriousnessoftheactcommittedbythebidder: | |
| | (a) if it is established that the Contractor has committed substantial defect in implementation of the contract or has not substantially fulfilled its obligations under the contract or the completed work is notofthespecifiedqualityasperthecontract. | |
| | (b) If convicted from a court of law in a criminal offense liable to be disqualifiedfortakingpartinprocurementcontract,(c) If it is established that the Contractor has engaged in corruptor fraudulent practices in competing for or in executing the Contract. | |
| 75. Payment upon Termination | 75.1 IftheContractisterminatedbecauseofafundamentalbreachofContractbythe Contractor,theProjectManagershallissueacertificateforthevalueofthework done and Materials ordered less advance payments received up to the date of the issue of the certificate. Additional Liquidated Damages shall not apply. If the total amount due to the Employer exceeds any payment due to the Contractor,thedifferenceshallbeadebtpayabletotheEmployer. | |
| | 75.2 If the Contract is terminated for the Employer's convenience or because of a fundamentalbreachofContractbytheEmployer,theProjectManagershallissue acertificateforthevalueoftheworkdone,Materialsordered,thereasonablecost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works,andlessadvancepaymentsreceiveduptothedateofthecertificate. | |
| | 75.3IftheContractisterminatedbecauseoffundamentalbreachofContractorfor anyotherfaultbytheContractor,theperformancesecurityshallbeforfeitedby theEmployer. | |
| | In such case, amount to complete the remaining works as per the Contract shall be recovered from the Contractor as Government dues. | |
| 76. Property | 76.1AllMaterialsontheSite,Plant,Equipment,TemporaryWorks,andWorksshallbe deemed to be the property of the Employer if the Contract isterminated | |

| | because of the Contractor's default. | |
|---|--|--|
| 77.Release from Performance | 77.1IftheContractisfrustratedbytheoutbreakofwarorbyanyotherevententirely outsidethecontrolofeithertheEmployerortheContractor,theProjectManagershal lcertifythattheContracthasbeenfrustrated.TheContractorshallmakethe Site safe and stop work as quickly as possible after receiving this certificate and shallbepaidforallworkcarriedoutbefore receivingitandforanyworkcarried outafterwardstowhichacommitmentwasmade. | |
| 78.SuspensionofDP Loan/Credit/Grant 78.1 In the event that the DP suspends the loan/ credit/grant to the EmwhichpartofthepaymentstotheContractorarebeingmade: | | |
| | a. the Employer is obligated to notify the Contractor of such suspension within 7 days of having received the DP's suspension notice; and | |
| | b. if the Contractor has not received sums due him within the 30 days for payment provided for in GCC 49.1, the Contractor may immediately issue a 15-day terminationnotice. | |
| 79. Eligibility | 79.1TheContractorshallhavethenationalityofaneligiblecountryasspecifiedin Section V of the bidding document. The Contractor shall be deemed to have the nationality of a country if the Contractor is a citizen or is constituted, or incorporated, and operates in conformity with the provisions of the laws of that country. This criterion shall also apply to the determination of the nationality of proposed subcontractors or suppliers for any part of the Contract including relatedservices. | |
| | 79.2Thematerials, equipment, and services to be supplied under the Contract shall have their origin in eligible source countries as specified in Section V of the bidding document and all expenditures under the Contract will be limited to such materials, equipment, and services. At the Employer's request, the Contractor may be required to provide evidence of the origin of materials, equipment, and services. | |
| | 79.3 For purposes of GCC 79.2, "origin" means the place where the materials and equipmentaremined, grown, produced, ormanufactured, and from which the services are provided. Materials and equipment are produced when, through manufacturing, processing, or substantial ormajor assembling of components, a commercially recognized product results that differs substantially in its basic characteristics or in purpose or utility from its components. | |
| 80.Project Manager's Duties and Authorities | 80.1 The Project Manager's duties and authorities are restricted to the extent as stated in the SCC. | |
| 81.Quarries and SpoilDumps | 81.1 Any quarry operated as part of this Contract shall be maintained and left in a stable condition without steep slopes and be either refilled or drained and be landscaped by appropriate planting. Rock or gravel taken from a river shall be removedoversomedistancesoastolimitthedepthofmaterialremovedatany onelocation,notdisrupttheriverflowordamageorunderminetheriverbanks. The Contractor shall not depositexcavated material on landin Government | |

| | or private ownership except as directed by the Project Managerin writing or by permission in writing of the authority responsible for such land in Government ownership, or of the owner or responsible representative of the owner of such land in private ownership, and only then in those places and undersuchconditionsastheauthority, owneror responsible representative may prescribe. | |
|-----------------------------------|---|--|
| 82. Local Taxation | The prices bid by the Contractor shall include all taxes that may be levied in accordance to the laws and regulations in being in Nepal on the date 30 days prior to the closing date for submissions of Bids on the Contractor's equipment, plant and materials acquired for the purpose of the Contract and on the services performed under the Contract. Nothing in the Contract shall relieve the Contractor from his responsibility to pay any tax that may be levied in Nepal on profits made by him in respect of the Contract. | |
| 83. Value Added Tax | 83.1 The Contract is not exempted from value added tax. An amount specified in thescheduleoftaxesshallbepaidbytheContractorintheconcernedVAToffice withintimeframespecifiedinVATregulation. | |
| 84. Income Taxes onStaff | The Contractor's staff, personnel and labor will be liable to pay personal income taxes in Nepal in respect of their salaries and wages, as are chargeable under the laws and regulations for the time being in force, and the Contractor shall perform such duties in regard to such deductions as may be imposed on himbysuchlawsandregulations. | |
| | 84.2 The issue of the Final Account Certificate pursuant to clause GCC 70 shall be made only upon submittal by the Contractor of a certificate of income tax clearance from the Government of Nepal. | |
| 85. Duties, Taxes andRoyalties | 85.1 Any element of royalty, duty or tax in the price of any goods including fuel oil, and lubricating oil, cement, timber, iron and iron goods locally procured by the Contractor for the works shall be included in the Contract rates and prices and no reimbursement or payment in that respect shall be made to the Contractor. | |
| | 85.2 TheContractorshallfamiliarizehimselfwithGONtherulesandregulationswith regard to customs, duties, taxes, clearing of goods and equipment, immigrationandthelike,anditwillbenecessaryforhimtofollowtherequired procedures regardless of the assistance as may be provided by the Employer whereverpossible. | |
| | 85.3 TheContractorshallpayandshallnotbeentitledtothereimbursementofcost of extracting construction materials such as sand, stone/boulder, gravel, etc. from the river beds or quarries. Such prices will be levied by the local District Development Committee (DDC) as may be in force at the time. The Contractor, sub-contractor(s) employed directly by him and for whom he is responsible, will not be exempted from payment of royalties, taxes or other kindsofsurchargesontheseconstructionmaterialssoextractedandpaidforto theDDC. | |
| 86. Member of Government, etc,not | 86.1 No member or officer of GoN or the Employer or the Project Manager or any of | |

| Personally Liable | their respective employees shall be in any way personally boundor liable for the act or obligations of the Employer under the Contract or answerable for any default or omission in the observance or performance of any of act, matter or thing which are hereincontained. | |
|---|--|--|
| 87. Approval of Use of Explosives | 87.1 No explosives of any kind shall be used by the Contractor without the prior consent of the Employer in writing and the Contractor shall provide, store and handle these and all other items of every kind whatsoever required for blasting operations, all at his own expense in a manner approved in writing by the Employer. | |
| 88 Compliance with Regulations for Explosives | 88.1 The Contractor shall comply with all relevant ordinances, instructions and regulations which the Government, or other person or persons having due authority, may issue from time to time regarding the handling, transportation, storage and use of explosives. | |
| 89. Permission for Blasting | 89.1 The Contractor shall at all times maintain full liaison with and inform well in advance, and obtain such permission as is required from all Government authorities, public bodies and private parties what so ever concerned or affected, or likely to be concerned or affected by blasting operation. | |
| 90.Records of Explosives | 90.1BeforethebeginningoftheDefectsLiabilityPeriod,theContractorshallaccount to the satisfaction of the Project Manager for all explosives brought on to the Site during the execution of the Contract and the Contractor shall remove all unused explosives from the Site on completion of works when ordered bythe Project Manager. | |
| 91. Traffic Diversion | 91.1 The Contractor shall include the necessary safety procedures regarding and pedestrian traffic diversion that is needed in execution of the works. The Contractor shall include in his costing of works, any temporary works or diversion that are needed during the construction period. All traffic diversion should be designed for the safety of both the motoring public and the men at work. It shall ensure the uninterrupted flow of traffic and minimum inconvenience to the public during the period concerned. As such, adequate warning signs, flagmen and other relevant safety precautionary measures shall be provided to warn motorists and pedestrians well ahead of the intended diversion as directed by the Project Manager. All traffic devices used shall be designed in accordance with the instruction of Project Manager. | |

Section VIII: Special Conditions of Contract

The following Special Conditions of Contracts hall supplement the GCC. Whenever there is a conflict, the provisions here in shall prevail over those in the GCC.

Special Conditions of Contract

| A. General | | |
|---------------|---|--|
| GCC 1.1 (q) | The Employer is <i>Mahakali Municipality</i> , <i>Khalanga</i> , <i>Darchula</i> | |
| GCC 1.1 (v) | TheIntendedCompletionDateforthewholeoftheWorksshallbelast Week of Chaitra of 2077 | |
| GCC 1.1(bb) & | TheProjectManagerisEngineer of Municipality | |
| 10.1 | TheProjectManagerandEngineeraresynonyms. | |
| GCC 1.1 (ee) | The Site is located at Mahakali Municipality, Ward no.6, Chhapari Darchula | |
| GCC 1.1 (hh) | The Start Date shall be Third week of Baisakh,2077 | |
| GCC 1.1 (ll) | The Works consist of View Tower Construction | |
| GCC 2.2 | Sectional Completions are: | |
| GCC 2.3(i) | The following documents also form part of the Contract: | |
| GCC 3.1 | The language of the contract is ENGLISH/NEPALI | |
| | The law that applies to the Contract is the law of NEPAL | |
| GCC 11.1 | The Project Manager may delegate any of his duties and responsibilities. | |
| GCC 14.1 | Schedule of other contractors: | |
| GCC 19.1 | The minimum insurance amounts and deductibles shall be: 1. The minimum cover for loss of or damage to the Works, Plant and Materials is: 0.05% of the Contract Amount. 2. ThemaximumdeductibleforinsuranceoftheWorksandofPlantandMaterialsis: 3. TheminimumcoverforlossordamagetoEquipmentis: 4. ThemaximumdeductibleforinsuranceofEquipmentis 5. The minimum for insurance of other property is: with unlimited number of occurrences 6. Themaximumdeductibleforinsuranceofotherpropertyis: 7. Theminimumcoverforpersonalinjuryordeathinsurance i. fortheContractor'semployeesisthatspecifiedintheLaboractofNepaland ii. for other people iswith an unlimited number of occurrences | |
| GCC 20.1 | Site Investigation Reports are: | |

| GCC 23.1 | The following shall be designed by the Contractor | |
|-----------------|--|--|
| GCC 26.1 | The Site Possession Date(s) shall be: | |
| | [Note: If the Site is made available by section, the different dates should be listed here] | |
| GCC 30.1 | The place of arbitration shall be: | |
| C. Time Co | ntrol | |
| GCC 34.1 | The Contractor shall submit for approval a Program for the Works within 7 days days from the date of the Letter of Acceptance. | |
| GCC 34.3 | The period between Program updates is days. | |
| | The amount to be withheld for late submission of an updated Program is | |
| D. Quality (| Control | |
| GCC 42.1 | The Defects Liability Period is: 365 days. | |
| E. Cost Control | | |
| GCC 49.1 | [insert the prevailing interest rate] | |
| GCC 53.1 | The Contract <i>is not</i> subject to price adjustment, and the following information regarding coefficients <i>does not</i> apply. | |
| | The coefficients and indices for adjustment of prices in Nepalese Rupees shall be as specified in the Table of Adjustment Data submitted by bidder together with the Letter of Price Bid which is approved by the Project manager. | |
| GCC 53.6 | Base Price of Construction Materials applicable for price adjustment shall be aspertheTableofAdjustmentDatasubmittedbyBiddertogetherwiththeLetterofPriceBid whichisapprovedbytheProjectmanager. | |
| GCC 53.7 | The Price Adjustment amount shall be limited to a maximum of: | |
| GCC 54.1 | The proportion of payments retained is: 5 (five) percent | |
| GCC 55.1 | TheliquidateddamagesforthewholeoftheWorksareo.o5PercentofthefinalContract Priceperday.ThemaximumamountofliquidateddamagesforthewholeoftheWorksis Percent of the final ContractPrice. | |
| GCC 56.1 | The Bonus for the whole of the Works is 0.05 Percent per day. The maximum amount of Bonus for the whole of the Works is 1.5% of the final Contract Price. | |
| GCC 57.1 | The Advance Payments shall be: 10% at the time of commencement of work & other 10% shall be after getting technical report from Engineer/Sub-Engineer. | |
| | | |

| GCC 57.3 | Deductions from Payment Certificates will commence in the first certificate in which the valueofworksexecutedexceeds30%oftheContractPrice.Deductionwillbeattherateof <i>[Insert percentage]</i> ¹ of the respective Monthly Interim Payment Certificate until such time as the advance payment has been repaid; provided that the advance payment shall be completelyrepaidpriortotheendof80%oftheapprovedcontractperiod. | |
|--------------|---|--|
| GCC 58.1 | The Performance Security amount is: 5% | |
| G. Finishin | g the Contract | |
| GCC 71.1 | The date by which operating and maintenance manuals are required is; | |
| GCC 71.2 | The date by which "as built" drawings are required is: 2077/11/22 | |
| | The amount to be withheld for failing to produce "as built" drawings and/or Operating and maintenance manuals is: | |
| GCC 72.3 (i) | The maximum number of days is: 200 | |
| GCC 80 | TheProjectManagerhastoobtainthespecificapprovaloftheEmployerfortakinganyof the following actions: a. Approving subcontracting of any part of the works under General Conditions of Contract Clause13; b. CertifyingadditionalcostsdeterminedunderGeneralConditionsofContractClause 50; c. DeterminingstartdateunderGeneralConditionsofContractClause1; d. Determining the extension of the intended Completion Date under General ConditionsofContractClause35; e. IssuingaVariationunderGeneralConditionsofContractClause1and46,exceptinan emergency situation, as reasonably determined by the Project Manager; emergency situation may be defined as the situation when protective measures must be takenforthesafetyoflifeoroftheworksorofadjoiningproperty. f. AdjustmentofratesunderGeneralConditionsofContractClause45; | |

Section IX: Contract Forms

This Section contains forms which, once completed, will form part of the Contract. The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful Bidder after contract award.

Letter of Intent

[on letterhead paper of the Employer]

| Date: | | |
|--------------------------------------|---|-------------------------------|
| To: | Name and address of the Contractor | • |
| Subject: Is | suance of letter of intent to award th | e contract |
| This is to notify you that, it is ou | r intention to award the contract | [insert |
| date]for execution | of the | [insert |
| nameofthecontractandiden | tification number, as given in the Contract | tData/SCC]toyouasyour |
| bidprice | [insertamountinfiguresandwordsinNo | epaleseRupees]ascorrected |
| and modified in accordance | with the Instructions to Bidders is her | eby selected as substantially |
| responsive lowest evaluated bi | d. | |
| | | |
| | | |
| | Authorized Signature: | |
| | Name: | • |
| | Title: | |

CC:

[Insert name and address of all other Bidders, who submitted the bid]

Notes on Letter of Intent

The issuance of Letter of Intentisthe information of the selection of the bid of the successful bid der by the Employer and for providing information to other unsuccessful bid ders who participated in the bid as regards to the outcome of the procurement process. This standard form of Letter of Intentio Awardshould be filled in and sent to the successful Bid deronly after evaluation and selection of substantially responsible lowest evaluated bid.]

Letter of Acceptance

[on letterhead paper of the Employer]

| Date: |
|--|
| To:Name and address of the Contractor |
| Subject:Notification of Award |
| This is to notify that your Bid dated |
| You are hereby instructed to contact this office to sign the formal contract agreement within 15 dayswithPerformanceSecurityof NRs inaccordancewiththeConditionsofContract,using for that purpose the Performance security Form included in Section X (Contract Forms) of this BiddingDocument. |
| Authorized Signature: |
| Name and Title of Signatory: |

Contract Agreement

| THIS AGREEMENT made the |
|---|
| WHEREAStheEmployerdesiresthattheWorksknownasnameoftheContractshouldbeexecutedbytheContractor,andhasacceptedaBidbytheContractorfor |
| the execution and completion of these Works and the remedying of any defects in the sum of NRs |
| The Employer and the Contractor agree as follows: |
| 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to the minthe Contract documents referred to. |
| 2. The following documents shall be deemed to form and be read and construed as part of this Agreement. This Agreement shall prevail overall other Contract documents.(a) the Letter of Acceptance;(b) the Letters of Bid; |
| (c) theAddendaNosInsertaddendanumbersifany |
| (d) theSpecialConditionsofContract; (e) theListofEligibleCountriesthatwasspecifiedinSectionVofthebiddingdocument, (f) theGeneralConditionsofContract; (g) theSpecification; (h) theDrawings; |
| (i) Bill of Quantities (or Schedules of Prices for lump sum contracts),and (j) TableofPriceAdjustmentData (k)List of ApprovedSubcontractors |
| (l)[Specify if there are any other document] |
| ${\it 3.}\ In consideration of the payments to be made by the Employer to the Contractor as indicated in this Agreement, the Contractor hereby covenants with the Employer to execute the Works and to remedy defects the reininconformity in all respects with the provisions of the Contract.$ |
| 4. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract. |
| INWITNESS where of the parties here to have caused this Agreement to be executed in accordance with the laws of Nepalon the day, month and year indicated above. |
| Signed by for and on behalf the Contractor in the presence of |

Witness, Name Signature, Address, DateList of Approved Subcontractors

In accordance with GCC Sub-Clause 13.1,The following Subcontractors are approved for carrying out the work as specified below.

| Name of Subcontractors | Description of Works | Value/Percentage of subcontract |
|------------------------|----------------------|---------------------------------|
| | | |
| | | |
| | | |
| | | |

Performance Security

(On letterhead paper of the 'A' class commercial Bank)

| | Beneficiary: |
|---|--------------|
| Date: | |
| Performance Guarantee No.: | |
| Wehavebeeninformedthat[insertnameoftheContractor] (hereinaftercalled"theContractor") hasbeennotifiedbyyoutosigntheContractNo[insertreferencenumberoftheContract] for the execution of[insert name of contract and brief description of Works] (hereinafter called "theContract"). | |
| Furthermore, we understand that, according to the conditions of the Contract, aperformance guarantee is required. | |
| AttherequestoftheContractor,we | |
| demand for payment under it must be received by us at this office on or before that date. | |
| Seal of Bank and Signature(s) | |

3

Note:

All italicizedtext isforguidanceonhowtopreparethis demandguaranteeand shallbedeletedfrom thefinal document.

- * The Guarant or shall insert an amount representing the percentage of the Contract Price specified in the Contract in Nepalese Rupees.
- **InsertthedatethirtydaysafterthedatespecifiedfortheDefectLiabilityPeriod.TheEmployershouldnote thatintheeventofanextensionofthetimeforcompletionoftheContract,theEmployerwouldneedtorequest anextensionofthisguaranteefromtheGuarantor.Suchrequestmustbeinwritingandmustbemadepriorto the expiration date established in the guarantee. In preparing this guarantee, the Employer might consider addingthefollowingtexttotheform,attheendofthepenultimateparagraph: "TheGuarantoragreestoaonetimeextensionofthisguaranteeforaperiodnottoexceed[sixmonths],inresponsetotheEmployer'swritten requestforsuchextension,suchrequesttobepresentedtotheGuarantorbeforetheexpiryoftheguarantee".

Advance Payment Security

(On letterhead paper of the 'A' class commercial Bank)

| Bank's Name, and Address of Issuing Branch or Office |
|---|
| Beneficiary:Name and address of employer |
| Date : |
| Advance Payment Guarantee No |
| We have been informed thathas entered into Contract No Name and Address of EmployernameoftheContractor(hereinaftercalled"theContractor")reference number of the Contract |
| Furthermore, we understand that, according to the Conditions of the Contract, an advance payment in the sumname of the currency and amount in figures *(amount in words) is to be made against an advance payment guarantee. |
| AttherequestoftheContractor,we |
| Themaximumamountofthisguaranteeshallbeprogressivelyreducedbytheamountoftheadvance payment repaid by the Contractor as indicated in copies of interim statements or payment certificateswhichshallbepresentedtous. This guaranteeshall expire, at the latest, upon our receipt of a copy of the interimpayment certificate indicating that eighty (80) percent of the Contract Price has been certified for payment, or on theday of**, which ever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date. |
| Seal of Bank and Signature(s) |

-

Note:

All italicized text is for guidance on how to prepare this demand guarantee and shall be deleted from the final document. *TheGuarantorshallinsertanamountrepresentingtheamountoftheadvancepaymentinNepaleseRupeesoftheadvancepaymentasspecifiedintheContract.

** Insert the date Thirty days after the expected completion date. The Employer should note that in the event of an extension of the time for completion of the Contract, the Employer would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee. In preparing this guarantee, the Employer might consider adding the following text to the form, at the end of the penultimate paragraph: "The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months], in response to the Employer's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee".